

双葉町仮設焼却第二施設 令和2年5月 空間線量率測定結果

測定日	測定項目																							
	空間線量率( $\mu$ Sv/h)																							
	No.1(業務用地出入口付近)				No.2(業務用地出入口付近)				No.3(業務用地変電設備付近)				No.4(消防屯所前)				業務用地境界							
	モニタリングポスト				モニタリングポスト				モニタリングポスト				モニタリングポスト				NaIシンチレーション式サーベイメータ							
	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	東	南	西	北
1	0.380	0.380	0.385	0.380	0.373	0.374	0.375	0.370	0.192	0.192	0.192	0.191	0.731	0.735	0.729	0.730	—	—	—	—	—	—	—	—
2	0.384	0.383	0.386	0.386	0.376	0.375	0.372	0.373	0.194	0.194	0.192	0.193	0.730	0.727	0.732	0.731	—	—	—	—	—	—	—	—
3	0.385	0.388	0.388	0.386	0.378	0.378	0.376	0.377	0.194	0.195	0.193	0.194	0.737	0.730	0.737	0.736	—	—	—	—	—	—	—	—
4	0.386	0.387	0.388	0.388	0.377	0.377	0.378	0.378	0.193	0.194	0.195	0.195	0.737	0.743	0.741	0.741	—	—	—	—	—	—	—	—
5	0.392	0.389	0.392	0.388	0.381	0.380	0.378	0.378	0.195	0.195	0.195	0.195	0.744	0.741	0.742	0.745	—	—	—	—	—	—	—	—
6	0.392	0.386	0.385	0.381	0.384	0.378	0.379	0.376	0.198	0.194	0.194	0.193	0.739	0.740	0.735	0.736	—	—	—	—	—	—	—	—
7	0.382	0.367	0.382	0.382	0.376	0.372	0.372	0.375	0.193	0.190	0.191	0.191	0.740	0.738	0.736	0.739	0.34	0.77	0.31	0.31	—	—	—	—
8	0.383	0.383	0.387	0.388	0.377	0.375	0.376	0.382	0.192	0.190	0.192	0.192	0.746	0.743	0.745	0.742	—	—	—	—	—	—	—	—
9	0.388	0.385	0.387	0.393	0.381	0.384	0.382	0.388	0.193	0.193	0.194	0.200	0.746	0.743	0.745	0.747	—	—	—	—	—	—	—	—
10	0.387	0.384	0.382	0.383	0.383	0.379	0.375	0.378	0.197	0.197	0.192	0.193	0.744	0.735	0.734	0.736	—	—	—	—	—	—	—	—
11	0.384	0.387	0.386	0.387	0.379	0.379	0.379	0.383	0.194	0.195	0.195	0.195	0.741	0.740	0.742	0.744	—	—	—	—	—	—	—	—
12	0.387	0.388	0.387	0.386	0.385	0.380	0.380	0.381	0.196	0.195	0.197	0.196	0.749	0.735	0.736	0.736	—	—	—	—	—	—	—	—
13	0.387	0.386	0.388	0.386	0.383	0.380	0.381	0.383	0.198	0.198	0.198	0.197	0.738	0.731	0.743	0.742	—	—	—	—	—	—	—	—
14	0.388	0.388	0.390	0.390	0.386	0.380	0.381	0.385	0.199	0.198	0.201	0.201	0.752	0.738	0.747	0.749	0.33	0.68	0.27	0.26	—	—	—	—
15	0.392	0.391	0.390	0.394	0.386	0.384	0.387	0.390	0.202	0.200	0.199	0.203	0.750	0.746	0.751	0.755	—	—	—	—	—	—	—	—
16	0.392	0.391	0.395	0.390	0.390	0.388	0.391	0.388	0.202	0.197	0.203	0.199	0.752	0.751	0.754	0.750	—	—	—	—	—	—	—	—
17	0.392	0.393	0.391	0.391	0.389	0.386	0.387	0.389	0.201	0.198	0.200	0.199	0.757	0.746	0.749	0.751	—	—	—	—	—	—	—	—
18	0.391	0.387	0.392	0.387	0.388	0.387	0.388	0.383	0.199	0.198	0.200	0.203	0.751	0.747	0.750	0.738	—	—	—	—	—	—	—	—
19	0.376	0.370	0.367	0.364	0.369	0.366	0.361	0.361	0.196	0.194	0.188	0.189	0.717	0.704	0.693	0.681	—	—	—	—	—	—	—	—
20	0.375	0.355	0.358	0.358	0.352	0.352	0.352	0.353	0.183	0.181	0.182	0.181	0.680	0.681	0.687	0.688	—	—	—	—	—	—	—	—
21	0.358	0.357	0.361	0.363	0.351	0.356	0.359	0.361	0.180	0.180	0.180	0.181	0.685	0.690	0.697	0.698	0.32	0.67	0.23	0.27	—	—	—	—
22	0.363	0.363	0.364	0.362	0.361	0.362	0.361	0.357	0.181	0.180	0.179	0.181	0.701	0.701	0.700	0.692	—	—	—	—	—	—	—	—
23	0.359	0.359	0.371	0.359	0.355	0.356	0.363	0.355	0.179	0.178	0.189	0.177	0.682	0.689	0.697	0.688	—	—	—	—	—	—	—	—
24	0.360	0.366	0.367	0.368	0.358	0.358	0.362	0.364	0.178	0.179	0.180	0.181	0.696	0.694	0.701	0.702	—	—	—	—	—	—	—	—
25	0.370	0.371	0.373	0.374	0.365	0.364	0.364	0.368	0.182	0.183	0.182	0.185	0.708	0.705	0.705	0.711	—	—	—	—	—	—	—	—
26	0.368	0.368	0.369	0.372	0.362	0.359	0.364	0.369	0.184	0.180	0.181	0.186	0.701	0.686	0.706	0.706	—	—	—	—	—	—	—	—
27	0.368	0.370	0.373	0.373	0.367	0.367	0.368	0.371	0.183	0.182	0.182	0.183	0.707	0.704	0.709	0.710	—	—	—	—	—	—	—	—
28	0.374	0.373	0.376	0.377	0.371	0.368	0.369	0.375	0.183	0.182	0.183	0.184	0.716	0.708	0.716	0.715	0.35	0.70	0.25	0.29	—	—	—	—
29	0.377	0.376	0.377	0.379	0.374	0.372	0.372	0.376	0.186	0.184	0.184	0.185	0.723	0.713	0.721	0.721	—	—	—	—	—	—	—	—
30	0.379	0.379	0.381	0.381	0.377	0.373	0.376	0.377	0.187	0.185	0.186	0.188	0.727	0.716	0.724	0.725	—	—	—	—	—	—	—	—
31	0.383	0.385	0.384	0.384	0.382	0.378	0.380	0.381	0.189	0.188	0.187	0.188	0.731	0.725	0.726	0.730	—	—	—	—	—	—	—	—

備考