

双葉町仮設焼却第二施設 令和3年11月 空間線量率測定結果

測定日	測定項目																			
	空間線量率(μSv/h)																			
	No.1(業務用地出入口付近)				No.2(業務用地出口付近)				No.3(業務用地変電設備付近)				No.4(消防屯所前)				業務用地境界			
	モニタリングポスト				モニタリングポスト				モニタリングポスト				モニタリングポスト				NaIシンチレーション式サーベイメータ			
	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	東	南	西	北
1	0.331	0.327	0.333	0.326	0.346	0.340	0.345	0.346	0.137	0.138	0.137	0.136	0.597	0.600	0.602	0.602	—	—	—	—
2	0.332	0.333	0.332	0.334	0.346	0.345	0.346	0.348	0.138	0.138	0.137	0.138	0.605	0.603	0.605	0.606	—	—	—	—
3	0.334	0.336	0.334	0.329	0.348	0.346	0.345	0.349	0.137	0.138	0.136	0.137	0.605	0.604	0.605	0.605	0.28	0.60	0.27	0.29
4	0.335	0.332	0.334	0.336	0.349	0.347	0.348	0.350	0.138	0.138	0.138	0.137	0.605	0.605	0.609	0.607	—	—	—	—
5	0.337	0.334	0.334	0.336	0.350	0.347	0.349	0.350	0.137	0.138	0.137	0.138	0.611	0.607	0.611	0.609	—	—	—	—
6	0.336	0.338	0.336	0.337	0.349	0.350	0.350	0.350	0.137	0.138	0.137	0.136	0.610	0.608	0.613	0.611	—	—	—	—
7	0.337	0.339	0.336	0.336	0.350	0.350	0.349	0.350	0.137	0.138	0.137	0.136	0.611	0.609	0.613	0.610	—	—	—	—
8	0.339	0.336	0.337	0.338	0.351	0.348	0.350	0.349	0.138	0.139	0.138	0.137	0.613	0.614	0.611	0.611	—	—	—	—
9	0.337	0.326	0.323	0.329	0.348	0.335	0.331	0.340	0.138	0.136	0.136	0.144	0.611	0.587	0.575	0.580	—	—	—	—
10	0.325	0.323	0.325	0.325	0.335	0.332	0.335	0.337	0.135	0.135	0.134	0.135	0.582	0.585	0.586	0.586	0.29	0.58	0.26	0.28
11	0.326	0.326	0.327	0.328	0.337	0.338	0.340	0.340	0.135	0.137	0.137	0.135	0.588	0.588	0.592	0.592	—	—	—	—
12	0.328	0.324	0.328	0.329	0.341	0.339	0.341	0.344	0.136	0.137	0.135	0.135	0.592	0.593	0.594	0.594	—	—	—	—
13	0.328	0.333	0.330	0.332	0.342	0.343	0.343	0.344	0.135	0.137	0.136	0.136	0.594	0.595	0.597	0.597	—	—	—	—
14	0.331	0.334	0.330	0.332	0.345	0.345	0.343	0.345	0.137	0.137	0.136	0.137	0.600	0.598	0.598	0.601	—	—	—	—
15	0.331	0.335	0.333	0.335	0.346	0.339	0.345	0.347	0.136	0.138	0.137	0.137	0.601	0.599	0.599	0.605	—	—	—	—
16	0.333	0.333	0.334	0.335	0.347	0.343	0.346	0.348	0.136	0.138	0.136	0.137	0.603	0.606	0.604	0.604	—	—	—	—
17	0.334	0.333	0.334	0.334	0.347	0.339	0.346	0.347	0.137	0.138	0.136	0.137	0.606	0.602	0.603	0.605	0.27	0.59	0.26	0.28
18	0.334	0.330	0.335	0.335	0.348	0.345	0.348	0.349	0.137	0.138	0.137	0.137	0.605	0.605	0.605	0.605	—	—	—	—
19	0.335	0.333	0.334	0.338	0.348	0.348	0.348	0.350	0.138	0.139	0.137	0.138	0.606	0.606	0.607	0.609	—	—	—	—
20	0.336	0.337	0.336	0.336	0.349	0.350	0.348	0.350	0.138	0.138	0.137	0.137	0.608	0.608	0.606	0.610	—	—	—	—
21	0.336	0.337	0.337	0.343	0.350	0.349	0.349	0.354	0.138	0.138	0.138	0.144	0.610	0.609	0.610	0.615	—	—	—	—
22	0.341	0.327	0.330	0.342	0.354	0.336	0.341	0.351	0.147	0.137	0.137	0.150	0.609	0.587	0.593	0.596	—	—	—	—
23	0.329	0.329	0.329	0.329	0.339	0.338	0.343	0.344	0.136	0.137	0.137	0.136	0.587	0.589	0.594	0.594	—	—	—	—
24	0.329	0.329	0.329	0.329	0.341	0.338	0.344	0.343	0.135	0.136	0.135	0.135	0.596	0.592	0.596	0.597	0.28	0.57	0.26	0.27
25	0.330	0.327	0.330	0.332	0.344	0.343	0.344	0.345	0.137	0.137	0.136	0.136	0.598	0.597	0.595	0.598	—	—	—	—
26	0.330	0.327	0.332	0.332	0.343	0.344	0.345	0.345	0.135	0.136	0.135	0.137	0.598	0.596	0.599	0.600	—	—	—	—
27	0.330	0.331	0.332	0.331	0.344	0.345	0.345	0.345	0.136	0.136	0.135	0.135	0.595	0.599	0.599	0.598	—	—	—	—
28	0.330	0.333	0.332	0.331	0.346	0.345	0.343	0.346	0.135	0.136	0.135	0.134	0.598	0.600	0.599	0.599	—	—	—	—
29	0.331	0.331	0.333	0.333	0.345	0.341	0.344	0.347	0.135	0.137	0.135	0.136	0.601	0.598	0.600	0.600	—	—	—	—
30	0.332	0.336	0.336	0.337	0.348	0.343	0.347	0.348	0.136	0.138	0.137	0.138	0.603	0.599	0.603	0.604	—	—	—	—

備考