

双葉町仮設灰処理第二施設 令和4年7月 空間線量率測定結果

測定日	測定項目																			
	空間線量率(μSv/h)																			
	No.1(業務用地出入口付近) モニタリングポスト				No.2(業務用地出口付近) モニタリングポスト				No.3(業務用地変電設備付近) モニタリングポスト				No.4(消防屯所前) モニタリングポスト				業務用地境界 NaIシンチレーション式サーベイメータ			
	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	東	南	西	北
1	0.338	0.342	0.341	0.341	0.341	0.338	0.343	0.343	0.144	0.144	0.143	0.143	0.614	0.621	0.621	0.623	—	—	—	—
2	0.340	0.344	0.343	0.344	0.343	0.344	0.345	0.347	0.144	0.143	0.144	0.144	0.625	0.626	0.626	0.627	—	—	—	—
3	0.346	0.349	0.346	0.344	0.349	0.346	0.346	0.346	0.147	0.144	0.144	0.144	0.633	0.629	0.627	0.629	—	—	—	—
4	0.337	0.343	0.344	0.341	0.338	0.339	0.346	0.344	0.142	0.143	0.144	0.144	0.622	0.624	0.630	0.628	—	—	—	—
5	0.347	0.344	0.343	0.343	0.350	0.340	0.343	0.346	0.148	0.144	0.144	0.143	0.633	0.628	0.629	0.628	—	—	—	—
6	0.342	0.335	0.326	0.325	0.344	0.335	0.328	0.325	0.144	0.142	0.139	0.140	0.631	0.622	0.606	0.599	0.28	0.56	0.27	0.27
7	0.325	0.322	0.323	0.324	0.324	0.315	0.324	0.322	0.139	0.139	0.137	0.137	0.599	0.594	0.598	0.597	—	—	—	—
8	0.323	0.327	0.327	0.322	0.322	0.318	0.328	0.321	0.137	0.138	0.138	0.139	0.593	0.603	0.602	0.588	—	—	—	—
9	0.319	0.323	0.319	0.320	0.320	0.324	0.317	0.321	0.137	0.139	0.136	0.136	0.588	0.593	0.589	0.590	—	—	—	—
10	0.322	0.329	0.328	0.327	0.322	0.328	0.330	0.330	0.139	0.139	0.139	0.139	0.594	0.599	0.597	0.601	—	—	—	—
11	0.326	0.330	0.327	0.328	0.328	0.326	0.327	0.331	0.138	0.141	0.138	0.138	0.601	0.606	0.603	0.601	—	—	—	—
12	0.324	0.327	0.327	0.324	0.326	0.325	0.326	0.324	0.138	0.139	0.139	0.139	0.601	0.603	0.600	0.599	—	—	—	—
13	0.317	0.315	0.318	0.317	0.315	0.317	0.317	0.318	0.136	0.135	0.135	0.135	0.579	0.583	0.582	0.581	0.26	0.51	0.25	0.24
14	0.314	0.315	0.314	0.315	0.314	0.317	0.315	0.314	0.134	0.136	0.135	0.134	0.579	0.584	0.577	0.577	—	—	—	—
15	0.314	0.316	0.313	0.315	0.316	0.315	0.315	0.317	0.135	0.135	0.135	0.138	0.579	0.579	0.581	0.572	—	—	—	—
16	0.314	0.319	0.318	0.318	0.314	0.319	0.320	0.320	0.134	0.136	0.136	0.136	0.571	0.581	0.581	0.585	—	—	—	—
17	0.318	0.324	0.323	0.324	0.319	0.324	0.325	0.326	0.136	0.137	0.137	0.138	0.584	0.589	0.590	0.590	—	—	—	—
18	0.324	0.329	0.327	0.328	0.328	0.324	0.327	0.331	0.139	0.139	0.139	0.141	0.591	0.596	0.594	0.598	—	—	—	—
19	0.330	0.330	0.330	0.328	0.333	0.329	0.333	0.329	0.143	0.144	0.144	0.140	0.601	0.603	0.599	0.598	—	—	—	—
20	0.329	0.329	0.332	0.328	0.332	0.327	0.334	0.332	0.140	0.140	0.141	0.139	0.602	0.600	0.602	0.604	0.28	0.55	0.27	0.27
21	0.329	0.331	0.332	0.332	0.333	0.331	0.332	0.338	0.140	0.142	0.141	0.141	0.607	0.603	0.608	0.610	—	—	—	—
22	0.341	0.327	0.322	0.318	0.341	0.329	0.323	0.322	0.152	0.142	0.140	0.136	0.613	0.602	0.589	0.586	—	—	—	—
23	0.322	0.325	0.325	0.323	0.324	0.326	0.328	0.328	0.138	0.138	0.139	0.137	0.589	0.591	0.593	0.595	—	—	—	—
24	0.325	0.329	0.326	0.328	0.330	0.329	0.330	0.333	0.139	0.138	0.138	0.141	0.598	0.598	0.601	0.602	—	—	—	—
25	0.331	0.330	0.329	0.329	0.335	0.328	0.332	0.332	0.142	0.139	0.139	0.140	0.603	0.602	0.604	0.605	—	—	—	—
26	0.330	0.330	0.330	0.325	0.333	0.327	0.331	0.326	0.141	0.141	0.143	0.142	0.609	0.603	0.602	0.595	—	—	—	—
27	0.322	0.324	0.332	0.320	0.324	0.322	0.333	0.321	0.139	0.137	0.149	0.137	0.592	0.592	0.600	0.589	0.28	0.55	0.27	0.25
28	0.321	0.322	0.321	0.321	0.323	0.323	0.324	0.325	0.138	0.138	0.137	0.137	0.591	0.591	0.594	0.593	—	—	—	—
29	0.322	0.324	0.324	0.322	0.327	0.326	0.326	0.330	0.138	0.137	0.138	0.139	0.594	0.597	0.597	0.599	—	—	—	—
30	0.324	0.327	0.327	0.328	0.329	0.331	0.329	0.333	0.139	0.140	0.138	0.140	0.600	0.599	0.599	0.602	—	—	—	—
31	0.331	0.334	0.332	0.334	0.334	0.333	0.334	0.335	0.142	0.141	0.141	0.141	0.606	0.608	0.610	0.610	—	—	—	—

備考