

双葉町仮設灰処理第二施設 令和5年9月 空間線量率測定結果

測定日	測定項目																			
	空間線量率( $\mu$ Sv/h)																			
	No.1(業務用地出入口付近)				No.2(業務用地出口付近)				No.3(業務用地変電設備付近)				No.4(消防屯所前)				業務用地境界			
	モニタリングポスト				モニタリングポスト				モニタリングポスト				モニタリングポスト				NaIシンチレーション式サーベイメータ			
	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	東	南	西	北
1	0.332	0.337	0.334	0.333	0.339	0.339	0.341	0.340	0.145	0.142	0.143	0.144	0.581	0.604	0.604	0.602	-	-	-	-
2	0.333	0.337	0.334	0.334	0.340	0.341	0.340	0.342	0.144	0.144	0.143	0.145	0.604	0.603	0.602	0.604	-	-	-	-
3	0.336	0.339	0.336	0.334	0.341	0.342	0.340	0.337	0.146	0.145	0.145	0.144	0.604	0.606	0.606	0.603	-	-	-	-
4	0.332	0.314	0.311	0.313	0.336	0.284	0.311	0.314	0.145	0.138	0.136	0.136	0.601	0.565	0.559	0.562	-	-	-	-
5	0.316	0.320	0.319	0.319	0.318	0.321	0.321	0.321	0.139	0.138	0.142	0.141	0.566	0.568	0.569	0.569	-	-	-	-
6	0.314	0.315	0.309	0.310	0.316	0.319	0.310	0.311	0.137	0.148	0.136	0.136	0.560	0.552	0.550	0.552	0.26	0.52	0.25	0.26
7	0.311	0.316	0.314	0.316	0.312	0.318	0.317	0.318	0.136	0.137	0.139	0.138	0.553	0.560	0.562	0.565	-	-	-	-
8	0.315	0.312	0.306	0.301	0.318	0.316	0.306	0.300	0.138	0.139	0.138	0.135	0.565	0.563	0.545	0.519	-	-	-	-
9	0.305	0.307	0.309	0.310	0.307	0.308	0.312	0.311	0.133	0.133	0.134	0.136	0.540	0.545	0.548	0.554	-	-	-	-
10	0.311	0.317	0.313	0.314	0.313	0.318	0.317	0.318	0.137	0.137	0.136	0.139	0.555	0.561	0.558	0.560	-	-	-	-
11	0.313	0.314	0.314	0.314	0.317	0.315	0.317	0.318	0.138	0.135	0.136	0.137	0.560	0.560	0.562	0.562	-	-	-	-
12	0.314	0.317	0.316	0.317	0.318	0.305	0.320	0.321	0.138	0.136	0.137	0.139	0.563	0.566	0.568	0.566	-	-	-	-
13	0.316	0.320	0.318	0.320	0.321	0.315	0.321	0.325	0.138	0.137	0.138	0.139	0.568	0.569	0.572	0.572	0.26	0.52	0.24	0.26
14	0.319	0.322	0.322	0.323	0.322	0.325	0.325	0.326	0.139	0.137	0.140	0.141	0.571	0.574	0.574	0.575	-	-	-	-
15	0.322	0.321	0.323	0.314	0.325	0.324	0.325	0.319	0.140	0.138	0.148	0.136	0.574	0.575	0.577	0.560	-	-	-	-
16	0.316	0.322	0.320	0.322	0.318	0.321	0.324	0.324	0.138	0.137	0.139	0.141	0.564	0.570	0.566	0.570	-	-	-	-
17	0.320	0.325	0.322	0.324	0.324	0.325	0.325	0.325	0.140	0.138	0.139	0.140	0.569	0.573	0.569	0.572	-	-	-	-
18	0.324	0.330	0.326	0.326	0.325	0.329	0.327	0.327	0.140	0.140	0.140	0.140	0.570	0.572	0.576	0.575	-	-	-	-
19	0.326	0.330	0.326	0.331	0.327	0.329	0.328	0.334	0.140	0.139	0.140	0.145	0.575	0.576	0.576	0.580	-	-	-	-
20	0.325	0.334	0.327	0.327	0.330	0.335	0.328	0.329	0.140	0.145	0.139	0.140	0.574	0.583	0.576	0.578	0.27	0.52	0.28	0.26
21	0.328	0.329	0.329	0.332	0.330	0.331	0.329	0.334	0.141	0.139	0.140	0.142	0.577	0.583	0.578	0.582	-	-	-	-
22	0.330	0.328	0.327	0.327	0.330	0.327	0.328	0.327	0.143	0.138	0.139	0.138	0.579	0.579	0.578	0.577	-	-	-	-
23	0.333	0.319	0.319	0.319	0.332	0.319	0.318	0.319	0.151	0.137	0.137	0.136	0.579	0.565	0.566	0.565	-	-	-	-
24	0.318	0.326	0.321	0.320	0.319	0.323	0.320	0.322	0.136	0.137	0.137	0.136	0.567	0.568	0.570	0.570	-	-	-	-
25	0.320	0.325	0.323	0.323	0.322	0.322	0.322	0.324	0.137	0.137	0.137	0.137	0.569	0.571	0.571	0.573	-	-	-	-
26	0.320	0.324	0.321	0.323	0.319	0.313	0.322	0.324	0.136	0.137	0.137	0.140	0.563	0.542	0.567	0.568	-	-	-	-
27	0.324	0.323	0.314	0.312	0.324	0.327	0.314	0.312	0.142	0.150	0.136	0.137	0.556	0.568	0.558	0.555	0.27	0.52	0.27	0.26
28	0.310	0.314	0.315	0.314	0.311	0.316	0.316	0.317	0.137	0.136	0.137	0.138	0.553	0.559	0.560	0.559	-	-	-	-
29	0.314	0.318	0.315	0.315	0.317	0.319	0.319	0.321	0.136	0.137	0.137	0.138	0.562	0.561	0.564	0.565	-	-	-	-
30	0.318	0.320	0.318	0.318	0.321	0.324	0.321	0.323	0.138	0.139	0.138	0.140	0.568	0.568	0.566	0.569	-	-	-	-
備考																				