

双葉町仮設焼却第二施設 令和6年2月 空間線量率測定結果

測定日	測定項目																			
	空間線量率(μSv/h)																			
	No.1(業務用地出入口付近)				No.2(業務用地出口付近)				No.3(業務用地変電設備付近)				No.4(消防屯所前)				業務用地境界			
	モニタリングポスト				モニタリングポスト				モニタリングポスト				モニタリングポスト				Naシンチレーション式サーベイメータ			
	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	東	南	西	北
1	0.306	0.306	0.304	0.302	0.312	0.311	0.309	0.311	0.135	0.135	0.133	0.132	0.541	0.544	0.539	0.538	—	—	—	—
2	0.301	0.304	0.304	0.304	0.311	0.308	0.310	0.310	0.132	0.132	0.131	0.132	0.539	0.543	0.540	0.539	—	—	—	—
3	0.303	0.305	0.305	0.305	0.310	0.310	0.309	0.311	0.132	0.132	0.131	0.131	0.540	0.541	0.541	0.539	—	—	—	—
4	0.306	0.308	0.305	0.304	0.310	0.312	0.310	0.311	0.131	0.133	0.131	0.132	0.541	0.546	0.541	0.539	—	—	—	—
5	0.307	0.306	0.302	0.280	0.312	0.310	0.304	0.273	0.132	0.132	0.138	0.121	0.541	0.540	0.531	0.481	—	—	—	—
6	0.284	0.283	0.289	0.291	0.273	0.275	0.282	0.284	0.123	0.121	0.124	0.125	0.472	0.482	0.490	0.493	—	—	—	—
7	0.291	0.292	0.293	0.296	0.283	0.289	0.298	0.299	0.125	0.126	0.127	0.129	0.482	0.499	0.505	0.507	0.25	0.52	0.24	0.25
8	0.295	0.296	0.296	0.296	0.299	0.300	0.302	0.303	0.129	0.129	0.130	0.129	0.510	0.514	0.518	0.516	—	—	—	—
9	0.296	0.298	0.297	0.299	0.302	0.304	0.304	0.306	0.130	0.131	0.131	0.131	0.521	0.522	0.524	0.523	—	—	—	—
10	0.298	0.300	0.300	0.301	0.305	0.306	0.307	0.307	0.131	0.132	0.131	0.132	0.524	0.528	0.526	0.527	—	—	—	—
11	0.300	0.302	0.299	0.301	0.306	0.307	0.308	0.307	0.131	0.132	0.131	0.132	0.529	0.529	0.531	0.529	—	—	—	—
12	0.301	0.303	0.301	0.301	0.308	0.305	0.308	0.306	0.130	0.132	0.131	0.132	0.531	0.534	0.531	0.530	—	—	—	—
13	0.301	0.306	0.304	0.304	0.308	0.308	0.309	0.310	0.131	0.132	0.133	0.132	0.531	0.536	0.535	0.534	—	—	—	—
14	0.304	0.302	0.310	0.311	0.309	0.311	0.314	0.315	0.132	0.134	0.132	0.133	0.534	0.540	0.538	0.538	0.28	0.55	0.27	0.27
15	0.310	0.312	0.311	0.313	0.316	0.315	0.317	0.319	0.133	0.133	0.134	0.134	0.537	0.542	0.541	0.542	—	—	—	—
16	0.310	0.311	0.308	0.309	0.317	0.314	0.317	0.315	0.132	0.131	0.130	0.131	0.540	0.540	0.542	0.537	—	—	—	—
17	0.307	0.309	0.309	0.308	0.315	0.316	0.315	0.317	0.131	0.132	0.131	0.132	0.538	0.543	0.540	0.539	—	—	—	—
18	0.309	0.313	0.312	0.310	0.316	0.318	0.316	0.317	0.132	0.133	0.132	0.132	0.539	0.544	0.543	0.539	—	—	—	—
19	0.312	0.314	0.313	0.324	0.317	0.318	0.318	0.327	0.132	0.133	0.134	0.143	0.544	0.544	0.544	0.553	—	—	—	—
20	0.318	0.312	0.313	0.313	0.322	0.317	0.317	0.318	0.139	0.134	0.134	0.135	0.545	0.545	0.546	0.543	—	—	—	—
21	0.314	0.322	0.315	0.301	0.320	0.333	0.324	0.308	0.135	0.154	0.150	0.135	0.527	0.550	0.540	0.524	0.27	0.55	0.27	0.27
22	0.303	0.291	0.288	0.290	0.309	0.298	0.292	0.296	0.136	0.134	0.125	0.125	0.525	0.513	0.503	0.508	—	—	—	—
23	0.291	0.292	0.295	0.293	0.296	0.299	0.303	0.303	0.126	0.127	0.128	0.127	0.511	0.515	0.518	0.518	—	—	—	—
24	0.296	0.297	0.297	0.298	0.303	0.304	0.305	0.305	0.128	0.128	0.128	0.128	0.518	0.521	0.524	0.523	—	—	—	—
25	0.298	0.299	0.304	0.299	0.307	0.306	0.311	0.306	0.129	0.129	0.133	0.135	0.523	0.528	0.532	0.520	—	—	—	—
26	0.295	0.296	0.298	0.296	0.301	0.303	0.304	0.305	0.128	0.129	0.129	0.129	0.515	0.524	0.523	0.521	—	—	—	—
27	0.299	0.299	0.299	0.298	0.306	0.310	0.305	0.305	0.128	0.133	0.129	0.129	0.525	0.528	0.528	0.525	—	—	—	—
28	0.299	0.299	0.299	0.300	0.306	0.306	0.307	0.307	0.129	0.129	0.129	0.129	0.512	0.531	0.529	0.528	0.28	0.57	0.28	0.28
29	0.301	0.299	0.301	0.302	0.309	0.308	0.309	0.309	0.129	0.129	0.129	0.134	0.526	0.531	0.532	0.529	—	—	—	—

備考