

飯館村小宮地区仮設焼却施設 平成 27年 7月 空間線量率測定結果

測定日	測定項目											
	空間線量率(μ Sv/h)											
	クリアセンター正門			管理棟北東			灰出し室南側			灰仮置きヤード東側		
モニタリングポスト			モニタリングポスト			モニタリングポスト			モニタリングポスト			
朝	昼	夕	朝	昼	夕	朝	昼	夕	朝	昼	夕	
1	1.113	1.123	1.102	0.744	0.733	0.751	0.499	0.491	0.508	0.777	0.769	0.772
2	1.126	1.138	1.147	0.742	0.753	0.755	0.505	0.520	0.527	0.778	0.785	0.787
3	1.135	1.133	1.140	0.751	0.753	0.768	0.508	0.508	0.529	0.788	0.795	0.786
4	1.145	1.136	1.134	0.750	0.746	0.738	0.515	0.505	0.506	0.779	0.773	0.765
5	1.122	1.126	1.123	0.740	0.737	0.736	0.514	0.509	0.511	0.775	0.770	0.780
6	1.130	1.138	1.135	0.747	0.748	0.760	0.515	0.500	0.503	0.777	0.782	0.786
7	1.131	1.147	1.141	0.753	0.752	0.764	0.517	0.521	0.529	0.785	0.794	0.783
8	1.140	1.164	1.102	0.760	0.761	0.751	0.511	0.522	0.502	0.782	0.787	0.767
9	1.110	1.131	1.121	0.725	0.736	0.742	0.495	0.511	0.506	0.761	0.778	0.769
10	1.110	1.140	1.147	0.736	0.759	0.764	0.505	0.508	0.531	0.779	0.780	0.803
11	1.141	1.141	1.176	0.767	0.749	0.772	0.519	0.520	0.525	0.785	0.794	0.793
12	1.177	1.183	1.174	0.771	0.777	0.774	0.527	0.528	0.530	0.799	0.802	0.806
13	1.178	1.187	1.190	0.770	0.779	0.780	0.535	0.543	0.543	0.812	0.808	0.816
14	1.198	1.197	1.201	0.783	0.780	0.785	0.531	0.543	0.541	0.808	0.813	0.810
15	1.110	1.140	1.147	0.791	0.777	0.775	0.505	0.508	0.524	0.829	0.829	0.807
16	1.138	1.093	1.104	0.743	0.713	0.740	0.509	0.488	0.507	0.765	0.772	0.750
17	1.148	1.134	1.133	0.750	0.751	0.744	0.509	0.520	0.508	0.767	0.792	0.756
18	1.132	1.151	1.140	0.745	0.752	0.757	0.509	0.515	0.513	0.775	0.794	0.780
19	1.128	1.164	1.144	0.757	0.750	0.766	0.521	0.525	0.530	0.780	0.786	0.793
20	1.122	1.133	1.124	0.738	0.752	0.741	0.505	0.507	0.521	0.766	0.786	0.779
21	1.144	1.140	1.145	0.736	0.751	0.759	0.513	0.518	0.512	0.783	0.784	0.795
22	1.136	1.157	1.169	0.756	0.762	0.771	0.519	0.534	0.512	0.805	0.790	0.795
23	1.176	1.133	1.134	0.762	0.757	0.755	0.518	0.520	0.512	0.793	0.789	0.788
24	1.139	1.128	1.136	0.748	0.748	0.767	0.500	0.516	0.507	0.783	0.772	0.784
25	1.132	1.146	1.129	0.744	0.763	0.749	0.513	0.512	0.517	0.772	0.785	0.762
26	1.158	1.151	1.170	0.746	0.759	0.762	0.517	0.509	0.521	0.775	0.786	0.811
27	1.154	1.145	1.167	0.764	0.753	0.753	0.523	0.531	0.527	0.806	0.801	0.813
28	1.167	1.178	1.165	0.778	0.767	0.770	0.526	0.531	0.527	0.798	0.803	0.814
29	1.177	1.179	1.183	0.775	0.781	0.770	0.532	0.529	0.536	0.798	0.797	0.809
30	1.202	1.191	1.185	0.774	0.782	0.788	0.531	0.542	0.543	0.815	0.813	0.811
31	1.189	1.189	1.196	0.776	0.774	0.788	0.535	0.538	0.539	0.820	0.819	0.815

備考