

飯舘村小宮地区仮設焼却施設 平成 27年 8月 空間線量率測定結果

測定日	測定項目											
	空間線量率(μ Sv/h)											
	クリアセンター正門			管理棟北東			灰出し室南側			灰仮置きヤード東側		
	モニタリングポスト			モニタリングポスト			モニタリングポスト			モニタリングポスト		
	朝	昼	夕	朝	昼	夕	朝	昼	夕	朝	昼	夕
1	1.197	1.184	1.219	0.785	0.784	0.797	0.548	0.531	0.547	0.819	0.810	0.816
2	1.196	1.177	1.204	0.795	0.788	0.781	0.538	0.548	0.536	0.824	0.799	0.812
3	1.195	1.203	1.223	0.795	0.792	0.784	0.540	0.548	0.536	0.816	0.819	0.821
4	1.210	1.206	1.203	0.788	0.782	0.786	0.384	0.550	0.542	0.804	0.828	0.805
5	1.206	1.215	1.215	0.783	0.787	0.796	0.550	0.539	0.546	0.824	0.824	0.824
6	1.210	1.224	1.220	0.800	0.805	0.790	0.537	0.535	0.543	0.816	0.831	0.824
7	1.218	1.210	1.208	0.809	0.787	0.807	0.543	0.546	0.540	0.822	0.835	0.836
8	1.194	1.166	1.176	0.788	0.759	0.771	0.545	0.529	0.524	0.816	0.804	0.799
9	1.148	1.160	1.184	0.762	0.776	0.786	0.497	0.531	0.526	0.784	0.793	0.798
10	1.164	1.183	1.195	0.781	0.776	0.777	0.530	0.532	0.540	0.810	0.812	0.806
11	1.189	1.187	1.203	0.780	0.777	0.790	0.516	0.534	0.532	0.814	0.821	0.816
12	1.135	1.161	1.141	0.754	0.752	0.747	0.510	0.533	0.518	0.792	0.788	0.780
13	1.137	1.122	1.113	0.748	0.741	0.736	0.512	0.507	0.505	0.786	0.765	0.762
14	1.107	1.105	1.110	0.729	0.733	0.737	0.491	0.499	0.510	0.748	0.763	0.759
15	1.164	1.183	1.195	0.747	0.739	0.740	0.530	0.532	0.523	0.762	0.762	0.777
16	1.115	1.128	1.132	0.745	0.751	0.751	0.510	0.507	0.521	0.780	0.779	0.766
17	1.116	1.103	1.098	0.737	0.728	0.727	0.496	0.503	0.497	0.761	0.752	0.748
18	1.103	1.125	1.124	0.722	0.744	0.744	0.500	0.508	0.521	0.765	0.760	0.779
19	1.134	1.129	1.142	0.740	0.762	0.750	0.521	0.508	0.517	0.788	0.764	0.784
20	1.130	1.162	1.146	0.746	0.753	0.747	0.514	0.512	0.512	0.778	0.774	0.793
21	1.136	1.142	1.136	0.736	0.755	0.746	0.510	0.513	0.511	0.762	0.773	0.771
22	1.110	1.132	1.134	0.741	0.745	0.738	0.503	0.509	0.505	0.768	0.777	0.772
23	1.085	1.087	1.084	0.729	0.728	0.709	0.500	0.482	0.489	0.747	0.746	0.731
24	1.076	1.068	1.072	0.718	0.716	0.713	0.484	0.479	0.493	0.733	0.749	0.744
25	1.069	1.059	1.087	0.717	0.718	0.721	0.480	0.484	0.485	0.740	0.745	0.740
26	1.053	1.054	1.073	0.712	0.713	0.697	0.485	0.478	0.487	0.735	0.741	0.746
27	1.070	1.069	1.056	0.715	0.696	0.704	0.475	0.474	0.475	0.731	0.729	0.722
28	1.047	1.074	1.079	0.697	0.711	0.720	0.481	0.482	0.500	0.733	0.749	0.737
29	1.060	1.049	1.067	0.712	0.688	0.711	0.476	0.478	0.483	0.733	0.736	0.732
30	1.053	1.047	1.055	0.701	0.709	0.701	0.490	0.484	0.479	0.733	0.733	0.728
31	1.047	1.047	1.046	0.700	0.707	0.712	0.480	0.464	0.471	0.721	0.729	0.736

備考