

飯舘村小宮地区仮設焼却施設 平成 27年 9月 空間線量率測定結果

測定項目

空間線量率(μ Sv/h)

測定日	クリアセンター正門			管理棟北東			灰出し室南側			灰仮置きヤード東側		
	モニタリングポスト			モニタリングポスト			モニタリングポスト			モニタリングポスト		
	朝	昼	夕	朝	昼	夕	朝	昼	夕	朝	昼	夕
	1	1.073	1.061	1.071	0.724	0.712	0.721	0.490	0.489	0.485	0.748	0.745
2	1.068	1.094	1.107	0.720	0.716	0.719	0.488	0.482	0.501	0.741	0.738	0.767
3	1.098	1.129	1.091	0.727	0.730	0.728	0.504	0.506	0.500	0.761	0.769	0.755
4	1.071	1.103	1.094	0.707	0.710	0.720	0.486	0.491	0.497	0.742	0.756	0.764
5	1.093	1.106	1.108	0.740	0.744	0.731	0.495	0.499	0.498	0.768	0.763	0.768
6	1.102	1.112	1.100	0.719	0.741	0.724	0.501	0.508	0.501	0.759	0.771	0.759
7	1.052	1.048	1.055	0.707	0.700	0.710	0.478	0.474	0.480	0.737	0.732	0.736
8	1.040	1.062	1.037	0.713	0.701	0.703	0.479	0.471	0.467	0.707	0.724	0.726
9	1.024	1.005	1.042	0.687	0.677	0.693	0.462	0.452	0.480	0.709	0.690	0.725
10	1.039	1.024	1.024	0.694	0.695	0.686	0.474	0.467	0.460	0.707	0.727	0.715
11	1.012	1.043	1.049	0.686	0.705	0.720	0.471	0.477	0.487	0.716	0.726	0.745
12	1.035	1.075	1.073	0.730	0.720	0.730	0.477	0.495	0.506	0.757	0.752	0.760
13	1.065	1.080	1.079	0.720	0.730	0.722	0.485	0.498	0.502	0.765	0.761	0.765
14	1.070	1.081	1.086	0.729	0.727	0.724	0.500	0.492	0.496	0.741	0.755	0.741
15	1.039	1.024	1.024	0.721	0.739	0.717	0.474	0.467	0.498	0.751	0.765	0.760
16	1.083	1.085	1.085	0.737	0.714	0.727	0.502	0.499	0.495	0.759	0.751	0.763
17	1.086	1.070	1.038	0.727	0.701	0.687	0.487	0.482	0.480	0.755	0.741	0.723
18	1.048	1.069	1.050	0.699	0.717	0.721	0.475	0.490	0.482	0.730	0.751	0.743
19	1.053	1.082	1.078	0.716	0.729	0.725	0.476	0.494	0.509	0.744	0.747	0.759
20	1.084	1.090	1.093	0.724	0.723	0.713	0.495	0.501	0.501	0.754	0.777	0.765
21	1.087	1.077	1.096	0.715	0.721	0.726	0.486	0.492	0.508	0.755	0.762	0.769
22	1.095	1.093	1.099	0.719	0.734	0.718	0.499	0.508	0.507	0.765	0.772	0.756
23	1.091	1.108	1.113	0.720	0.746	0.725	0.496	0.505	0.508	0.751	0.762	0.767
24	1.093	1.109	1.091	0.731	0.737	0.733	0.499	0.499	0.506	0.755	0.759	0.763
25	1.080	1.047	1.041	0.711	0.684	0.690	0.481	0.476	0.487	0.731	0.729	0.724
26	1.053	1.064	1.078	0.690	0.702	0.703	0.477	0.480	0.482	0.735	0.732	0.737
27	1.066	1.075	1.097	0.706	0.706	0.714	0.471	0.479	0.491	0.746	0.739	0.746
28	1.057	1.094	1.106	0.700	0.718	0.733	0.494	0.499	0.499	0.735	0.762	0.751
29	1.076	1.106	1.094	0.713	0.721	0.722	0.492	0.500	0.488	0.735	0.760	0.745
30	1.096	1.106	1.098	0.713	0.729	0.725	0.497	0.503	0.513	0.757	0.754	0.761

備考