

飯舘村小宮地区仮設焼却施設 平成 27年 11月 空間線量率測定結果

測定項目

空間線量率(μ Sv/h)

測定日	クリアセンター正門			管理棟北東			灰出し室南側			灰仮置きヤード東側		
	モニタリングポスト			モニタリングポスト			モニタリングポスト			モニタリングポスト		
	朝	昼	夕	朝	昼	夕	朝	昼	夕	朝	昼	夕
	1	1.117	1.115	1.143	0.706	0.741	0.741	0.498	0.519	0.512	0.727	0.739
2	1.135	1.068	1.073	0.725	0.705	0.692	0.501	0.489	0.481	0.736	0.685	0.682
3	1.058	1.082	1.078	0.705	0.705	0.696	0.472	0.498	0.497	0.695	0.701	0.702
4	1.082	1.091	1.097	0.701	0.712	0.703	0.480	0.490	0.492	0.705	0.705	0.695
5	1.059	1.095	1.100	0.707	0.708	0.711	0.494	0.493	0.498	0.714	0.717	0.716
6	1.084	1.102	1.102	0.706	0.709	0.718	0.491	0.500	0.510	0.710	0.716	0.711
7	1.072	1.102	1.092	0.703	0.692	0.707	0.494	0.485	0.491	0.713	0.719	0.729
8	1.086	1.058	1.047	0.698	0.694	0.693	0.494	0.488	0.473	0.719	0.706	0.706
9	1.069	1.096	1.076	0.693	0.711	0.702	0.481	0.480	0.490	0.703	0.719	0.721
10	1.039	1.047	1.056	0.699	0.700	0.688	0.471	0.480	0.476	0.691	0.704	0.699
11	1.033	1.060	1.067	0.684	0.687	0.700	0.482	0.495	0.492	0.695	0.707	0.717
12	1.054	1.078	1.082	0.699	0.707	0.711	0.474	0.485	0.486	0.718	0.722	0.737
13	1.056	1.059	1.060	0.684	0.701	0.701	0.472	0.491	0.486	0.734	0.718	0.727
14	1.048	1.024	1.025	0.679	0.681	0.682	0.483	0.467	0.468	0.714	0.701	0.706
15	1.036	1.027	1.059	0.688	0.686	0.695	0.477	0.467	0.467	0.714	0.726	0.712
16	1.031	1.045	1.049	0.686	0.706	0.694	0.473	0.495	0.489	0.726	0.762	0.741
17	1.048	1.062	1.066	0.695	0.712	0.707	0.471	0.475	0.482	0.722	0.721	0.712
18	1.044	1.052	1.033	0.687	0.691	0.696	0.478	0.470	0.477	0.690	0.709	0.713
19	1.016	0.987	1.028	0.672	0.686	0.674	0.463	0.477	0.466	0.692	0.701	0.702
20	1.026	1.044	1.045	0.691	0.689	0.689	0.466	0.474	0.478	0.697	0.721	0.705
21	1.035	1.047	1.060	0.678	0.691	0.686	0.474	0.483	0.467	0.691	0.691	0.693
22	1.028	1.059	1.053	0.676	0.687	0.686	0.468	0.477	0.479	0.698	0.688	0.699
23	1.036	1.025	1.014	0.689	0.676	0.680	0.472	0.473	0.459	0.696	0.682	0.673
24	1.008	1.047	1.041	0.668	0.690	0.674	0.446	0.484	0.478	0.691	0.710	0.717
25	1.034	1.050	1.019	0.666	0.687	0.676	0.467	0.467	0.460	0.701	0.691	0.678
26	0.828	0.864	0.901	0.575	0.589	0.622	0.388	0.405	0.439	0.581	0.599	0.655
27	1.002	1.019	1.023	0.662	0.671	0.675	0.429	0.474	0.464	0.679	0.695	0.696
28	1.017	1.019	1.026	0.678	0.676	0.677	0.470	0.467	0.462	0.695	0.696	0.696
29	1.022	1.040	1.037	0.681	0.678	0.666	0.455	0.469	0.461	0.693	0.696	0.695
30	1.035	1.037	1.044	0.670	0.690	0.675	0.467	0.462	0.471	0.694	0.695	0.699

備考