

飯舘村小宮地区仮設焼却施設 平成 28年 1月 空間線量率測定結果

測定日	測定項目											
	空間線量率( $\mu$ Sv/h)											
	クリアセンター正門			管理棟北東			灰出し室南側			灰仮置きヤード東側		
	モニタリングポスト			モニタリングポスト			モニタリングポスト			モニタリングポスト		
	朝	昼	夕	朝	昼	夕	朝	昼	夕	朝	昼	夕
1	0.991	1.011	0.993	0.659	0.652	0.652	0.445	0.460	0.456	0.663	0.672	0.666
2	1.008	1.019	1.035	0.655	0.666	0.664	0.468	0.474	0.476	0.660	0.692	0.679
3	1.018	1.030	1.029	0.652	0.683	0.658	0.469	0.464	0.477	0.682	0.683	0.681
4	1.012	1.056	1.036	0.679	0.679	0.683	0.467	0.486	0.478	0.669	0.694	0.681
5	1.042	1.039	1.029	0.667	0.681	0.672	0.450	0.474	0.455	0.675	0.691	0.681
6	1.008	1.041	1.014	0.664	0.670	0.663	0.458	0.461	0.462	0.672	0.687	0.681
7	1.015	1.033	1.028	0.672	0.664	0.675	0.459	0.469	0.454	0.668	0.683	0.673
8	1.012	1.026	1.020	0.655	0.680	0.667	0.452	0.466	0.469	0.662	0.672	0.671
9	1.017	1.022	1.007	0.658	0.655	0.676	0.465	0.456	0.457	0.664	0.678	0.666
10	1.022	1.049	1.017	0.665	0.676	0.658	0.461	0.471	0.465	0.672	0.680	0.669
11	0.989	0.997	0.987	0.660	0.659	0.666	0.452	0.448	0.454	0.660	0.658	0.668
12	0.974	1.006	0.994	0.649	0.657	0.658	0.437	0.468	0.467	0.639	0.671	0.663
13	0.993	1.018	1.006	0.669	0.657	0.667	0.449	0.462	0.461	0.652	0.679	0.666
14	0.990	1.010	1.020	0.667	0.670	0.678	0.460	0.451	0.458	0.664	0.656	0.655
15	0.928	0.934	0.942	0.611	0.604	0.609	0.430	0.418	0.445	0.612	0.634	0.610
16	0.911	0.935	0.943	0.606	0.617	0.617	0.419	0.441	0.440	0.617	0.618	0.618
17	0.914	0.937	0.953	0.599	0.623	0.612	0.436	0.448	0.445	0.608	0.641	0.635
18	0.683	0.487	0.361	0.478	0.308	0.224	0.345	0.242	0.182	0.507	0.385	0.300
19	0.357	0.366	0.375	0.216	0.217	0.213	0.177	0.189	0.192	0.293	0.294	0.294
20	0.373	0.387	0.387	0.224	0.230	0.220	0.190	0.203	0.190	0.295	0.303	0.301
21	0.372	0.383	0.385	0.222	0.227	0.228	0.196	0.195	0.196	0.295	0.309	0.315
22	0.367	0.386	0.384	0.218	0.227	0.231	0.194	0.203	0.201	0.314	0.322	0.319
23	0.380	0.390	0.386	0.231	0.222	0.237	0.196	0.205	0.216	0.329	0.332	0.332
24	0.371	0.386	0.379	0.227	0.236	0.220	0.197	0.212	0.212	0.314	0.332	0.320
25	0.361	0.378	0.389	0.230	0.257	0.238	0.198	0.215	0.210	0.324	0.327	0.338
26	0.379	0.391	0.404	0.239	0.258	0.258	0.204	0.220	0.221	0.337	0.329	0.328
27	0.393	0.407	0.389	0.250	0.254	0.263	0.216	0.227	0.238	0.336	0.360	0.349
28	0.399	0.397	0.399	0.263	0.263	0.268	0.231	0.245	0.246	0.346	0.357	0.364
29	0.415	0.411	0.413	0.267	0.264	0.258	0.251	0.248	0.246	0.351	0.366	0.354
30	0.334	0.337	0.335	0.217	0.228	0.232	0.203	0.218	0.210	0.296	0.298	0.298
31	0.342	0.348	0.340	0.225	0.235	0.225	0.203	0.215	0.215	0.292	0.310	0.297
備考												