

飯館村小宮地区仮設焼却施設 平成 28年 8月 空間線量率測定結果

測定日	測定項目											
	空間線量率(μ Sv/h)											
	クリアセンター正門			管理棟北東			灰出し室南側			灰仮置きヤード東側		
	モニタリングポスト			モニタリングポスト			モニタリングポスト			モニタリングポスト		
	朝	昼	夕	朝	昼	夕	朝	昼	夕	朝	昼	夕
1	0.907	0.920	0.936	0.616	0.620	0.630	0.423	0.419	0.433	0.654	0.684	0.676
2	0.942	0.938	0.940	0.633	0.618	0.635	0.432	0.441	0.435	0.683	0.683	0.703
3	0.945	0.940	0.931	0.634	0.631	0.621	0.435	0.426	0.428	0.688	0.688	0.667
4	0.923	0.915	0.943	0.623	0.632	0.634	0.435	0.406	0.441	0.686	0.689	0.705
5	0.944	0.934	0.966	0.624	0.631	0.646	0.431	0.432	0.443	0.686	0.660	0.682
6	0.959	0.947	0.970	0.635	0.643	0.647	0.441	0.438	0.432	0.678	0.687	0.687
7	0.960	0.951	0.960	0.640	0.654	0.644	0.452	0.451	0.446	0.690	0.697	0.695
8	0.949	0.893	0.910	0.664	0.618	0.630	0.441	0.385	0.415	0.687	0.631	0.650
9	0.920	0.914	0.930	0.619	0.620	0.636	0.427	0.427	0.443	0.660	0.662	0.683
10	0.933	0.931	0.937	0.623	0.625	0.634	0.436	0.440	0.444	0.672	0.664	0.674
11	0.946	0.937	0.970	0.643	0.630	0.636	0.437	0.437	0.449	0.673	0.664	0.692
12	0.948	0.949	0.960	0.636	0.631	0.645	0.455	0.461	0.448	0.670	0.684	0.688
13	0.946	0.970	0.967	0.645	0.651	0.649	0.450	0.450	0.444	0.685	0.686	0.674
14	0.939	0.968	0.970	0.638	0.654	0.638	0.451	0.454	0.461	0.689	0.694	0.696
15	0.959	0.977	0.971	0.653	0.662	0.656	0.457	0.444	0.455	0.687	0.698	0.670
16	0.934	0.945	0.960	0.633	0.639	0.655	0.441	0.457	0.448	0.676	0.666	0.672
17	0.901	0.893	0.922	0.585	0.618	0.623	0.420	0.432	0.440	0.637	0.635	0.667
18	0.904	0.897	0.911	0.608	0.601	0.611	0.424	0.411	0.426	0.655	0.649	0.649
19	0.892	0.915	0.923	0.628	0.623	0.625	0.427	0.431	0.428	0.660	0.655	0.668
20	0.884	0.863	0.882	0.604	0.598	0.599	0.414	0.428	0.419	0.648	0.625	0.638
21	0.895	0.899	0.933	0.605	0.620	0.632	0.425	0.440	0.444	0.653	0.650	0.669
22	0.904	0.910	0.850	0.591	0.616	0.584	0.433	0.436	0.419	0.658	0.639	0.625
23	0.894	0.901	0.928	0.612	0.615	0.619	0.424	0.425	0.431	0.646	0.658	0.655
24	0.900	0.914	0.918	0.612	0.609	0.628	0.440	0.434	0.425	0.642	0.663	0.666
25	0.920	0.921	0.941	0.616	0.622	0.640	0.434	0.431	0.440	0.653	0.664	0.665
26	0.918	0.918	0.954	0.631	0.629	0.646	0.437	0.436	0.454	0.669	0.667	0.688
27	0.893	0.905	0.904	0.619	0.624	0.601	0.421	0.411	0.423	0.654	0.637	0.648
28	0.883	0.899	0.904	0.617	0.628	0.609	0.423	0.418	0.419	0.637	0.646	0.640
29	0.875	0.861	0.871	0.607	0.604	0.607	0.420	0.408	0.419	0.635	0.623	0.631
30	0.874	0.870	0.869	0.614	0.601	0.624	0.425	0.407	0.415	0.624	0.635	0.643
31	0.889	0.918	0.875	0.619	0.629	0.648	0.424	0.432	0.429	0.653	0.656	0.654

備考