

飯舘村小宮地区仮設焼却施設 平成 28年 10月 空間線量率測定結果

測定日	測定項目											
	空間線量率(μ Sv/h)											
	クリアセンター正門			管理棟北東			灰出し室南側			灰仮置きヤード東側		
	モニタリングポスト			モニタリングポスト			モニタリングポスト			モニタリングポスト		
	朝	昼	夕	朝	昼	夕	朝	昼	夕	朝	昼	夕
1	0.875	0.888	0.880	0.620	0.636	0.627	0.399	0.396	0.399	0.625	0.637	0.626
2	0.888	0.908	0.905	0.642	0.638	0.627	0.404	0.402	0.406	0.632	0.650	0.647
3	0.895	0.915	0.915	0.626	0.629	0.628	0.403	0.412	0.402	0.629	0.645	0.643
4	0.904	0.904	0.911	0.632	0.637	0.636	0.401	0.406	0.405	0.634	0.654	0.644
5	0.896	0.899	0.901	0.623	0.626	0.624	0.402	0.400	0.409	0.643	0.638	0.638
6	0.888	0.921	0.904	0.628	0.631	0.626	0.404	0.403	0.411	0.636	0.636	0.646
7	0.916	0.917	0.915	0.636	0.626	0.644	0.405	0.405	0.407	0.636	0.639	0.649
8	0.906	0.901	0.869	0.635	0.623	0.625	0.405	0.404	0.398	0.637	0.639	0.620
9	0.871	0.882	0.881	0.621	0.609	0.615	0.391	0.403	0.394	0.625	0.628	0.633
10	0.889	0.889	0.888	0.620	0.627	0.619	0.394	0.396	0.400	0.636	0.641	0.623
11	0.882	0.900	0.892	0.624	0.610	0.593	0.400	0.407	0.403	0.628	0.636	0.626
12	0.878	0.897	0.893	0.603	0.595	0.609	0.403	0.402	0.408	0.624	0.648	0.639
13	0.871	0.888	0.893	0.604	0.600	0.596	0.395	0.401	0.405	0.638	0.630	0.650
14	0.892	0.902	0.910	0.606	0.587	0.599	0.401	0.412	0.423	0.639	0.645	0.642
15	0.889	0.909	0.914	0.609	0.609	0.618	0.396	0.409	0.410	0.640	0.655	0.632
16	0.889	0.925	0.913	0.598	0.599	0.601	0.411	0.409	0.416	0.643	0.645	0.648
17	0.888	0.900	0.908	0.600	0.593	0.599	0.410	0.402	0.407	0.638	0.634	0.645
18	0.899	0.906	0.919	0.612	0.611	0.608	0.411	0.418	0.415	0.641	0.649	0.648
19	0.897	0.923	0.921	0.603	0.611	0.589	0.405	0.414	0.420	0.634	0.659	0.648
20	0.894	0.910	0.910	0.605	0.614	0.612	0.412	0.416	0.409	0.638	0.650	0.650
21	0.894	0.916	0.907	0.607	0.611	0.614	0.410	0.417	0.420	0.664	0.649	0.649
22	0.902	0.919	0.924	0.618	0.622	0.625	0.404	0.422	0.405	0.652	0.662	0.649
23	0.895	0.910	0.925	0.614	0.615	0.609	0.413	0.404	0.416	0.654	0.647	0.649
24	0.894	0.915	0.907	0.610	0.625	0.614	0.414	0.409	0.416	0.653	0.661	0.642
25	0.902	0.938	0.915	0.607	0.593	0.609	0.416	0.410	0.413	0.649	0.661	0.667
26	0.911	0.925	0.939	0.616	0.608	0.618	0.415	0.415	0.412	0.658	0.671	0.645
27	0.917	0.922	0.921	0.607	0.618	0.604	0.415	0.409	0.411	0.655	0.668	0.660
28	0.900	0.906	0.902	0.608	0.611	0.595	0.411	0.403	0.405	0.645	0.649	0.642
29	0.866	0.874	0.871	0.583	0.582	0.587	0.384	0.394	0.391	0.613	0.627	0.618
30	0.866	0.885	0.883	0.588	0.580	0.588	0.395	0.400	0.401	0.619	0.638	0.616
31	0.864	0.883	0.894	0.592	0.585	0.604	0.393	0.409	0.397	0.629	0.638	0.631
備考												