

飯舘村小宮地区仮設焼却施設 平成 29年 7月 空間線量率測定結果

測定項目

空間線量率(μ Sv/h)

測定日	クリアセンター正門			管理棟北東			灰出し室南側			灰仮置きヤード東側		
	モニタリングポスト			モニタリングポスト			モニタリングポスト			モニタリングポスト		
	朝	昼	夕	朝	昼	夕	朝	昼	夕	朝	昼	夕
	1	0.831	0.818	0.824	0.566	0.566	0.554	0.367	0.354	0.362	0.609	0.598
2	0.800	0.819	0.822	0.550	0.560	0.542	0.343	0.354	0.353	0.588	0.612	0.602
3	0.773	0.769	0.796	0.543	0.532	0.546	0.335	0.314	0.318	0.574	0.588	0.592
4	0.765	0.776	0.771	0.540	0.525	0.545	0.337	0.308	0.302	0.573	0.588	0.583
5	0.776	0.773	0.790	0.535	0.536	0.543	0.340	0.339	0.297	0.575	0.582	0.599
6	0.797	0.782	0.791	0.539	0.532	0.544	0.356	0.308	0.316	0.595	0.599	0.597
7	0.800	0.799	0.799	0.548	0.548	0.552	0.370	0.289	0.325	0.595	0.604	0.604
8	0.813	0.821	0.823	0.561	0.560	0.566	0.365	0.308	0.377	0.611	0.612	0.611
9	0.821	0.842	0.837	0.559	0.569	0.566	0.368	0.387	0.376	0.592	0.618	0.609
10	0.829	0.835	0.836	0.572	0.567	0.583	0.380	0.379	0.377	0.608	0.622	0.610
11	0.820	0.843	0.837	0.579	0.567	0.560	0.384	0.373	0.351	0.610	0.615	0.617
12	0.836	0.838	0.842	0.588	0.585	0.581	0.373	0.370	0.369	0.628	0.627	0.630
13	0.840	0.839	0.802	0.577	0.566	0.561	0.368	0.377	0.364	0.616	0.612	0.603
14	0.794	0.805	0.798	0.542	0.545	0.553	0.311	0.355	0.355	0.595	0.590	0.602
15	0.810	0.808	0.804	0.558	0.553	0.563	0.360	0.366	0.364	0.609	0.611	0.597
16	0.827	0.827	0.809	0.569	0.559	0.556	0.361	0.369	0.361	0.603	0.608	0.602
17	0.805	0.783	0.815	0.530	0.554	0.543	0.354	0.356	0.361	0.588	0.587	0.606
18	0.791	0.791	0.794	0.536	0.560	0.548	0.360	0.350	0.352	0.592	0.601	0.578
19	0.781	0.794	0.786	0.540	0.534	0.536	0.359	0.364	0.351	0.587	0.592	0.592
20	0.797	0.798	0.798	0.547	0.548	0.551	0.350	0.358	0.366	0.593	0.593	0.592
21	0.789	0.820	0.812	0.544	0.570	0.553	0.352	0.348	0.369	0.597	0.596	0.591
22	0.830	0.836	0.831	0.560	0.559	0.554	0.364	0.365	0.351	0.602	0.618	0.600
23	0.818	0.814	0.804	0.559	0.555	0.552	0.356	0.368	0.358	0.600	0.602	0.608
24	0.772	0.780	0.788	0.542	0.528	0.536	0.350	0.345	0.352	0.588	0.596	0.589
25	0.781	0.792	0.777	0.526	0.552	0.539	0.356	0.370	0.355	0.584	0.585	0.584
26	0.766	0.784	0.799	0.527	0.526	0.543	0.338	0.346	0.348	0.576	0.592	0.599
27	0.781	0.789	0.793	0.544	0.537	0.544	0.338	0.345	0.347	0.584	0.596	0.595
28	0.789	0.800	0.795	0.541	0.535	0.555	0.342	0.353	0.354	0.593	0.592	0.603
29	0.773	0.767	0.783	0.531	0.521	0.530	0.329	0.347	0.341	0.574	0.582	0.564
30	0.753	0.786	0.768	0.526	0.528	0.534	0.331	0.342	0.342	0.570	0.574	0.579
31	0.778	0.777	0.785	0.540	0.542	0.537	0.335	0.346	0.348	0.583	0.600	0.588

備考