

飯舘村小宮地区仮設焼却施設 平成 29年 10月 空間線量率測定結果

測定項目

空間線量率(μ Sv/h)

測定日	クリアセンター正門			管理棟北東			灰出し室南側			灰仮置きヤード東側		
	モニタリングポスト			モニタリングポスト			モニタリングポスト			モニタリングポスト		
	朝	昼	夕	朝	昼	夕	朝	昼	夕	朝	昼	夕
	1	0.768	0.773	0.783	0.519	0.528	0.529	0.348	0.352	0.351	0.589	0.583
2	0.746	0.765	0.767	0.524	0.530	0.538	0.345	0.347	0.346	0.569	0.573	0.571
3	0.775	0.762	0.773	0.534	0.547	0.532	0.343	0.351	0.347	0.572	0.583	0.582
4	0.777	0.753	0.779	0.533	0.527	0.543	0.334	0.346	0.349	0.574	0.580	0.580
5	0.759	0.774	0.783	0.531	0.544	0.537	0.346	0.335	0.335	0.564	0.588	0.561
6	0.771	0.780	0.773	0.522	0.529	0.530	0.336	0.332	0.335	0.562	0.589	0.557
7	0.750	0.733	0.751	0.529	0.516	0.517	0.333	0.333	0.342	0.557	0.552	0.561
8	0.743	0.758	0.776	0.528	0.527	0.529	0.338	0.338	0.346	0.561	0.568	0.571
9	0.742	0.771	0.771	0.520	0.532	0.532	0.339	0.346	0.352	0.555	0.573	0.565
10	0.758	0.759	0.758	0.516	0.538	0.529	0.340	0.352	0.346	0.565	0.574	0.575
11	0.759	0.769	0.766	0.528	0.517	0.529	0.346	0.347	0.338	0.564	0.568	0.568
12	0.750	0.754	0.760	0.521	0.524	0.528	0.347	0.348	0.342	0.567	0.575	0.563
13	0.732	0.733	0.727	0.513	0.519	0.521	0.336	0.332	0.287	0.553	0.556	0.559
14	0.738	0.735	0.738	0.511	0.519	0.510	0.327	0.347	0.326	0.555	0.556	0.546
15	0.726	0.743	0.738	0.528	0.517	0.516	0.331	0.345	0.339	0.549	0.540	0.559
16	0.722	0.741	0.731	0.505	0.514	0.501	0.331	0.333	0.335	0.553	0.558	0.551
17	0.718	0.745	0.726	0.508	0.511	0.517	0.332	0.341	0.342	0.548	0.557	0.557
18	0.709	0.746	0.737	0.502	0.505	0.513	0.333	0.340	0.346	0.562	0.553	0.551
19	0.716	0.712	0.702	0.499	0.504	0.501	0.328	0.342	0.334	0.542	0.535	0.555
20	0.717	0.710	0.705	0.507	0.513	0.499	0.333	0.303	0.291	0.554	0.543	0.528
21	0.697	0.714	0.712	0.493	0.508	0.498	0.324	0.327	0.331	0.522	0.539	0.543
22	0.719	0.710	0.700	0.493	0.488	0.501	0.326	0.320	0.326	0.543	0.531	0.535
23	0.707	0.709	0.715	0.493	0.517	0.505	0.331	0.334	0.323	0.527	0.543	0.551
24	0.731	0.730	0.722	0.501	0.508	0.507	0.331	0.341	0.341	0.536	0.566	0.560
25	0.729	0.744	0.724	0.504	0.512	0.505	0.342	0.341	0.334	0.546	0.559	0.556
26	0.730	0.732	0.746	0.508	0.510	0.520	0.341	0.345	0.344	0.553	0.558	0.557
27	0.731	0.755	0.746	0.515	0.515	0.511	0.337	0.347	0.350	0.564	0.567	0.551
28	0.720	0.749	0.748	0.519	0.512	0.514	0.340	0.348	0.338	0.558	0.568	0.568
29	0.715	0.708	0.712	0.502	0.494	0.498	0.334	0.329	0.327	0.535	0.550	0.533
30	0.705	0.731	0.710	0.516	0.510	0.500	0.330	0.340	0.333	0.558	0.544	0.557
31	0.726	0.724	0.729	0.503	0.506	0.512	0.336	0.338	0.329	0.546	0.559	0.558

備考