

飯館村蕨平地区仮設焼却施設 平成 31年 3月 空間線量率測定結果

測定日	測定項目																							
	空間線量率(μ Sv/h)																							
	仮設焼却施設				仮設灰保管施設								仮設焼却施設用地境界				仮設灰保管施設用地境界				仮設灰保管施設-4用地境界			
	モニタリングポスト				モニタリングポスト(北西)				モニタリングポスト(南東)				NaIシンチレーション式サーベイメータ				NaIシンチレーション式サーベイメータ				NaIシンチレーション式サーベイメータ			
	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	東	西	南	北	東	西	南	北	東	西	南	北
1	0.105	0.113	0.102	0.112	0.363	0.409	0.384	0.394	0.536	0.572	0.549	0.536	-	-	-	-	-	-	-	-	-	-	-	-
2	0.105	0.114	0.102	0.109	0.387	0.373	0.375	0.404	0.584	0.586	0.558	0.573	-	-	-	-	-	-	-	-	-	-	-	-
3	0.121	0.125	0.124	0.112	0.388	0.385	0.406	0.395	0.604	0.562	0.556	0.582	-	-	-	-	-	-	-	-	-	-	-	-
4	0.118	0.133	0.122	0.113	0.391	0.397	0.349	0.366	0.576	0.559	0.544	0.558	-	-	-	-	-	-	-	-	-	-	-	-
5	0.110	0.116	0.118	0.116	0.381	0.391	0.384	0.393	0.557	0.555	0.560	0.566	-	-	-	-	-	-	-	-	-	-	-	-
6	0.110	0.119	0.114	0.112	0.390	0.392	0.384	0.405	0.544	0.594	0.592	0.560	0.17	0.15	0.15	0.17	1.05	0.45	0.60	0.45	0.69	0.98	1.20	0.71
7	0.106	0.128	0.121	0.110	0.392	0.384	0.380	0.352	0.552	0.546	0.582	0.541	-	-	-	-	-	-	-	-	-	-	-	-
8	0.120	0.128	0.108	0.110	0.357	0.406	0.366	0.381	0.531	0.534	0.547	0.541	-	-	-	-	-	-	-	-	-	-	-	-
9	0.107	0.132	0.112	0.127	0.362	0.385	0.395	0.391	0.556	0.551	0.573	0.571	-	-	-	-	-	-	-	-	-	-	-	-
10	0.116	0.124	0.114	0.116	0.395	0.414	0.374	0.390	0.552	0.580	0.586	0.554	-	-	-	-	-	-	-	-	-	-	-	-
11	0.131	0.131	0.113	0.109	0.367	0.379	0.374	0.378	0.570	0.562	0.560	0.568	-	-	-	-	-	-	-	-	-	-	-	-
12	0.121	0.122	0.121	0.126	0.381	0.391	0.400	0.390	0.542	0.570	0.540	0.568	-	-	-	-	-	-	-	-	-	-	-	-
13	0.131	0.114	0.110	0.121	0.392	0.393	0.404	0.379	0.566	0.574	0.592	0.569	0.18	0.16	0.15	0.18	1.05	0.43	0.57	0.44	0.69	0.96	1.22	0.72
14	0.125	0.108	0.114	0.104	0.378	0.411	0.397	0.397	0.545	0.567	0.569	0.562	-	-	-	-	-	-	-	-	-	-	-	-
15	0.110	0.115	0.116	0.121	0.382	0.387	0.370	0.387	0.572	0.595	0.568	0.573	-	-	-	-	-	-	-	-	-	-	-	-
16	0.107	0.118	0.112	0.121	0.354	0.371	0.414	0.386	0.553	0.566	0.523	0.564	-	-	-	-	-	-	-	-	-	-	-	-
17	0.118	0.116	0.113	0.114	0.364	0.394	0.381	0.402	0.578	0.570	0.552	0.586	-	-	-	-	-	-	-	-	-	-	-	-
18	0.110	0.132	0.107	0.117	0.396	0.390	0.375	0.392	0.547	0.570	0.546	0.559	-	-	-	-	-	-	-	-	-	-	-	-
19	0.106	0.126	0.122	0.107	0.381	0.398	0.419	0.400	0.562	0.577	0.581	0.596	-	-	-	-	-	-	-	-	-	-	-	-
20	0.120	0.117	0.101	0.124	0.417	0.411	0.397	0.394	0.561	0.614	0.571	0.576	0.18	0.17	0.16	0.17	1.04	0.43	0.60	0.47	0.68	0.98	1.25	0.72
21	0.116	0.135	0.120	0.128	0.385	0.413	0.414	0.435	0.579	0.592	0.568	0.586	-	-	-	-	-	-	-	-	-	-	-	-
22	0.121	0.123	0.112	0.116	0.418	0.392	0.405	0.400	0.573	0.589	0.603	0.580	-	-	-	-	-	-	-	-	-	-	-	-
23	0.109	0.118	0.120	0.115	0.407	0.393	0.368	0.397	0.590	0.556	0.584	0.572	-	-	-	-	-	-	-	-	-	-	-	-
24	0.114	0.124	0.105	0.110	0.426	0.394	0.395	0.391	0.568	0.572	0.564	0.580	-	-	-	-	-	-	-	-	-	-	-	-
25	0.110	0.113	0.128	0.127	0.398	0.411	0.411	0.409	0.554	0.560	0.587	0.575	-	-	-	-	-	-	-	-	-	-	-	-
26	0.112	0.123	0.130	0.112	0.386	0.409	0.413	0.407	0.608	0.605	0.585	0.558	-	-	-	-	-	-	-	-	-	-	-	-
27	0.107	0.137	0.114	0.142	0.399	0.426	0.411	0.445	0.563	0.571	0.574	0.605	0.18	0.16	0.15	0.17	1.04	0.45	0.62	0.47	0.69	0.98	1.25	0.72
28	0.117	0.113	0.110	0.107	0.417	0.397	0.385	0.373	0.588	0.565	0.566	0.580	-	-	-	-	-	-	-	-	-	-	-	-
29	0.117	0.125	0.120	0.112	0.377	0.389	0.405	0.405	0.560	0.584	0.558	0.551	-	-	-	-	-	-	-	-	-	-	-	-
30	0.109	0.133	0.120	0.104	0.394	0.390	0.372	0.366	0.552	0.575	0.565	0.548	-	-	-	-	-	-	-	-	-	-	-	-
31	0.113	0.118	0.128	0.123	0.378	0.393	0.416	0.385	0.551	0.512	0.552	0.588	-	-	-	-	-	-	-	-	-	-	-	-
備考																								