

飯舘村仮設焼却施設 令和 2年 6月 空間線量率測定結果

測定日	測定項目																							
	空間線量率( $\mu\text{Sv/h}$ )																							
	仮設焼却施設				仮設灰保管施設								仮設焼却施設用地境界				仮設灰保管施設用地境界				仮設灰保管施設-4用地境界			
	モニタリングポスト				モニタリングポスト(北西)				モニタリングポスト(南東)				NaIシンチレーション式サーベイメータ				NaIシンチレーション式サーベイメータ				NaIシンチレーション式サーベイメータ			
朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	東	西	南	北	東	西	南	北	東	西	南	北	
1	0.126	0.118	0.118	0.128	0.351	0.362	0.359	0.359	0.503	0.523	0.530	0.514	-	-	-	-	-	-	-	-	-	-	-	
2	0.112	0.122	0.126	0.127	0.339	0.367	0.385	0.347	0.497	0.525	0.499	0.504	-	-	-	-	-	-	-	-	-	-	-	
3	0.107	0.117	0.121	0.122	0.351	0.372	0.353	0.347	0.527	0.488	0.515	0.520	0.14	0.13	0.13	0.15	0.49	0.31	0.47	0.25	0.49	0.80	1.10	0.81
4	0.126	0.134	0.125	0.120	0.343	0.381	0.372	0.360	0.528	0.498	0.527	0.511	-	-	-	-	-	-	-	-	-	-	-	
5	0.132	0.116	0.140	0.118	0.349	0.369	0.377	0.353	0.542	0.517	0.530	0.523	-	-	-	-	-	-	-	-	-	-	-	
6	0.120	0.122	0.119	0.112	0.327	0.319	0.359	0.343	0.512	0.510	0.520	0.530	-	-	-	-	-	-	-	-	-	-	-	
7	0.117	0.122	0.120	0.130	0.349	0.353	0.348	0.358	0.546	0.526	0.510	0.540	-	-	-	-	-	-	-	-	-	-	-	
8	0.119	0.114	0.138	0.118	0.333	0.348	0.373	0.317	0.515	0.488	0.511	0.495	-	-	-	-	-	-	-	-	-	-	-	
9	0.125	0.124	0.126	0.109	0.359	0.347	0.371	0.356	0.492	0.508	0.557	0.522	-	-	-	-	-	-	-	-	-	-	-	
10	0.123	0.124	0.130	0.128	0.344	0.366	0.393	0.365	0.500	0.502	0.526	0.548	0.15	0.14	0.15	0.15	0.53	0.31	0.48	0.28	0.51	0.77	1.01	0.71
11	0.120	0.118	0.128	0.116	0.343	0.342	0.329	0.349	0.553	0.539	0.515	0.503	-	-	-	-	-	-	-	-	-	-	-	
12	0.117	0.130	0.115	0.138	0.350	0.319	0.334	0.356	0.524	0.504	0.532	0.548	-	-	-	-	-	-	-	-	-	-	-	
13	0.138	0.129	0.118	0.126	0.338	0.338	0.327	0.332	0.524	0.538	0.502	0.505	-	-	-	-	-	-	-	-	-	-	-	
14	0.127	0.122	0.137	0.117	0.350	0.345	0.335	0.333	0.508	0.505	0.506	0.493	-	-	-	-	-	-	-	-	-	-	-	
15	0.124	0.125	0.126	0.132	0.329	0.335	0.359	0.353	0.491	0.507	0.520	0.535	-	-	-	-	-	-	-	-	-	-	-	
16	0.120	0.128	0.124	0.129	0.368	0.352	0.357	0.343	0.513	0.504	0.534	0.539	-	-	-	-	-	-	-	-	-	-	-	
17	0.121	0.128	0.122	0.126	0.358	0.351	0.344	0.351	0.520	0.518	0.534	0.538	0.14	0.12	0.15	0.17	0.59	0.34	0.48	0.24	0.53	0.81	1.07	0.71
18	0.131	0.118	0.125	0.120	0.321	0.348	0.349	0.375	0.526	0.512	0.517	0.510	-	-	-	-	-	-	-	-	-	-	-	
19	0.122	0.135	0.135	0.131	0.343	0.328	0.327	0.333	0.508	0.511	0.510	0.475	-	-	-	-	-	-	-	-	-	-	-	
20	0.129	0.125	0.132	0.124	0.335	0.332	0.340	0.333	0.502	0.514	0.520	0.513	-	-	-	-	-	-	-	-	-	-	-	
21	0.106	0.107	0.117	0.114	0.328	0.330	0.346	0.362	0.504	0.508	0.526	0.489	-	-	-	-	-	-	-	-	-	-	-	
22	0.126	0.121	0.116	0.128	0.336	0.362	0.333	0.331	0.531	0.462	0.509	0.507	-	-	-	-	-	-	-	-	-	-	-	
23	0.111	0.119	0.120	0.122	0.335	0.343	0.322	0.333	0.496	0.479	0.507	0.496	-	-	-	-	-	-	-	-	-	-	-	
24	0.117	0.121	0.115	0.119	0.326	0.329	0.312	0.327	0.482	0.495	0.481	0.503	0.14	0.13	0.13	0.14	0.50	0.33	0.49	0.24	0.46	0.76	0.99	0.77
25	0.124	0.117	0.121	0.117	0.312	0.338	0.325	0.331	0.504	0.476	0.512	0.494	-	-	-	-	-	-	-	-	-	-	-	
26	0.122	0.102	0.122	0.130	0.327	0.337	0.336	0.333	0.515	0.505	0.481	0.505	-	-	-	-	-	-	-	-	-	-	-	
27	0.112	0.123	0.112	0.121	0.320	0.337	0.325	0.351	0.493	0.498	0.484	0.512	-	-	-	-	-	-	-	-	-	-	-	
28	0.116	0.128	0.120	0.112	0.353	0.334	0.344	0.325	0.509	0.503	0.489	0.527	-	-	-	-	-	-	-	-	-	-	-	
29	0.116	0.120	0.135	0.116	0.327	0.331	0.337	0.336	0.468	0.496	0.485	0.509	-	-	-	-	-	-	-	-	-	-	-	
30	0.133	0.124	0.126	0.135	0.330	0.318	0.329	0.332	0.488	0.504	0.490	0.516	-	-	-	-	-	-	-	-	-	-	-	

備考