

飯館村仮設焼却施設 令和2年10月 空間線量率測定結果

測定日	測定項目																							
	空間線量率( $\mu\text{Sv/h}$ )																							
	仮設焼却施設				仮設灰保管施設								仮設焼却施設用地境界				仮設灰保管施設用地境界				仮設灰保管施設-4用地境界			
	モニタリングポスト				モニタリングポスト(北西)				モニタリングポスト(南東)				NaIシンチレーション式サーベイメータ				NaIシンチレーション式サーベイメータ				NaIシンチレーション式サーベイメータ			
	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	東	西	南	北	東	西	南	北	東	西	南	北
1	0.115	0.112	0.126	0.102	0.321	0.315	0.330	0.299	0.418	0.443	0.428	0.436	-	-	-	-	-	-	-	-	-	-	-	-
2	0.121	0.120	0.112	0.118	0.318	0.323	0.319	0.332	0.425	0.463	0.454	0.434	-	-	-	-	-	-	-	-	-	-	-	-
3	0.111	0.116	0.117	0.106	0.319	0.343	0.327	0.298	0.440	0.453	0.442	0.410	-	-	-	-	-	-	-	-	-	-	-	-
4	0.102	0.112	0.133	0.109	0.320	0.325	0.326	0.345	0.414	0.436	0.439	0.443	-	-	-	-	-	-	-	-	-	-	-	-
5	0.120	0.123	0.115	0.111	0.331	0.326	0.315	0.315	0.458	0.446	0.440	0.425	-	-	-	-	-	-	-	-	-	-	-	-
6	0.110	0.124	0.113	0.111	0.335	0.314	0.326	0.315	0.439	0.422	0.454	0.464	-	-	-	-	-	-	-	-	-	-	-	-
7	0.123	0.110	0.110	0.106	0.325	0.343	0.335	0.344	0.446	0.429	0.458	0.418	0.14	0.14	0.14	0.13	0.45	0.35	0.48	0.23	0.46	0.72	0.95	0.87
8	0.116	0.114	0.121	0.109	0.310	0.302	0.299	0.317	0.406	0.404	0.408	0.416	-	-	-	-	-	-	-	-	-	-	-	-
9	0.104	0.126	0.116	0.108	0.322	0.321	0.299	0.288	0.447	0.418	0.410	0.404	-	-	-	-	-	-	-	-	-	-	-	-
10	0.109	0.132	0.118	0.122	0.300	0.306	0.307	0.314	0.383	0.398	0.403	0.410	-	-	-	-	-	-	-	-	-	-	-	-
11	0.117	0.109	0.118	0.105	0.319	0.299	0.324	0.303	0.416	0.405	0.400	0.405	-	-	-	-	-	-	-	-	-	-	-	-
12	0.122	0.133	0.106	0.118	0.307	0.301	0.311	0.311	0.408	0.416	0.400	0.400	-	-	-	-	-	-	-	-	-	-	-	-
13	0.113	0.127	0.118	0.113	0.297	0.333	0.329	0.320	0.393	0.412	0.417	0.387	-	-	-	-	-	-	-	-	-	-	-	-
14	0.120	0.110	0.108	0.127	0.305	0.316	0.290	0.314	0.392	0.395	0.406	0.426	0.14	0.14	0.14	0.14	0.44	0.32	0.47	0.23	0.49	0.74	1.01	0.87
15	0.116	0.107	0.112	0.118	0.315	0.306	0.314	0.309	0.407	0.414	0.412	0.386	-	-	-	-	-	-	-	-	-	-	-	-
16	0.113	0.113	0.122	0.105	0.312	0.327	0.311	0.327	0.404	0.400	0.404	0.420	-	-	-	-	-	-	-	-	-	-	-	-
17	0.115	0.118	0.119	0.121	0.311	0.311	0.318	0.311	0.380	0.394	0.386	0.402	-	-	-	-	-	-	-	-	-	-	-	-
18	0.119	0.117	0.120	0.122	0.307	0.308	0.316	0.288	0.404	0.401	0.379	0.403	-	-	-	-	-	-	-	-	-	-	-	-
19	0.118	0.118	0.110	0.122	0.299	0.313	0.314	0.308	0.402	0.397	0.430	0.381	-	-	-	-	-	-	-	-	-	-	-	-
20	0.116	0.113	0.106	0.117	0.296	0.335	0.316	0.314	0.411	0.410	0.418	0.381	-	-	-	-	-	-	-	-	-	-	-	-
21	0.118	0.127	0.114	0.099	0.315	0.314	0.323	0.302	0.404	0.404	0.397	0.407	0.14	0.14	0.14	0.14	0.46	0.33	0.48	0.24	0.50	0.77	0.98	0.85
22	0.119	0.120	0.120	0.104	0.308	0.335	0.317	0.322	0.414	0.405	0.413	0.419	-	-	-	-	-	-	-	-	-	-	-	-
23	0.116	0.121	0.115	0.122	0.305	0.313	0.307	0.291	0.393	0.414	0.397	0.402	-	-	-	-	-	-	-	-	-	-	-	-
24	0.108	0.116	0.121	0.118	0.297	0.303	0.315	0.297	0.394	0.410	0.396	0.372	-	-	-	-	-	-	-	-	-	-	-	-
25	0.111	0.118	0.120	0.104	0.297	0.319	0.332	0.297	0.393	0.431	0.388	0.396	-	-	-	-	-	-	-	-	-	-	-	-
26	0.112	0.113	0.111	0.114	0.307	0.319	0.290	0.316	0.385	0.397	0.416	0.378	-	-	-	-	-	-	-	-	-	-	-	-
27	0.104	0.116	0.121	0.119	0.309	0.303	0.317	0.293	0.394	0.376	0.405	0.390	-	-	-	-	-	-	-	-	-	-	-	-
28	0.119	0.122	0.119	0.100	0.299	0.310	0.328	0.315	0.379	0.402	0.405	0.390	0.13	0.13	0.13	0.14	0.40	0.32	0.47	0.23	0.46	0.70	0.96	0.89
29	0.116	0.110	0.115	0.128	0.313	0.321	0.320	0.315	0.415	0.406	0.425	0.395	-	-	-	-	-	-	-	-	-	-	-	-
30	0.120	0.121	0.118	0.108	0.303	0.328	0.322	0.298	0.400	0.412	0.395	0.418	-	-	-	-	-	-	-	-	-	-	-	-
31	0.124	0.116	0.111	0.116	0.310	0.316	0.295	0.296	0.394	0.382	0.389	0.397	-	-	-	-	-	-	-	-	-	-	-	-

備考