

葛尾村仮設焼却施設 平成29年10月 空間線量率測定結果

測定日	測定項目											
	空間線量率(μ Sv/h)											
	業務用地入口				業務用地北側				業務用地境界			
	モニタリングポスト				モニタリングポスト				NAIシンチレーション式サーベイメータ			
	朝	昼	夕	夜	朝	昼	夕	夜	東	南	西	北
1	1.157	1.186	1.170	1.176	1.278	1.312	1.289	1.294	—	—	—	—
2	1.174	1.188	1.181	1.181	1.297	1.300	1.298	1.298	—	—	—	—
3	1.179	1.192	1.181	1.179	1.296	1.322	1.300	1.296	1.01	1.29	0.66	1.08
4	1.173	1.187	1.173	1.171	1.294	1.302	1.298	1.293	—	—	—	—
5	1.168	1.181	1.168	1.165	1.287	1.305	1.295	1.289	—	—	—	—
6	1.166	1.183	1.179	1.156	1.292	1.299	1.295	1.261	—	—	—	—
7	1.134	1.128	1.135	1.134	1.239	1.226	1.230	1.227	—	—	—	—
8	1.132	1.156	1.144	1.141	1.228	1.251	1.242	1.241	—	—	—	—
9	1.137	1.170	1.155	1.159	1.244	1.281	1.261	1.262	—	—	—	—
10	1.155	1.135	1.164	1.167	1.258	1.273	1.270	1.270	1.18	1.57	0.75	1.19
11	1.158	1.105	1.153	1.157	1.262	1.255	1.249	1.249	—	—	—	—
12	1.158	1.130	1.160	1.114	1.256	1.254	1.257	1.205	—	—	—	—
13	1.112	1.111	1.116	1.117	1.191	1.192	1.192	1.194	—	—	—	—
14	1.120	1.116	1.103	1.105	1.195	1.188	1.179	1.183	—	—	—	—
15	1.113	1.123	1.113	1.113	1.187	1.192	1.187	1.185	—	—	—	—
16	1.112	1.124	1.101	1.102	1.184	1.193	1.171	1.174	—	—	—	—
17	1.099	1.120	1.117	1.112	1.172	1.197	1.193	1.194	1.07	1.58	0.63	1.11
18	1.113	1.128	1.119	1.120	1.193	1.204	1.200	1.202	—	—	—	—
19	1.098	1.089	1.089	1.088	1.181	1.167	1.163	1.161	—	—	—	—
20	1.085	1.090	1.080	1.076	1.164	1.164	1.163	1.153	—	—	—	—
21	1.080	1.083	1.082	1.079	1.159	1.162	1.158	1.159	—	—	—	—
22	1.073	1.065	1.058	1.056	1.151	1.144	1.138	1.139	—	—	—	—
23	1.056	1.089	1.096	1.097	1.136	1.169	1.179	1.175	—	—	—	—
24	1.093	1.114	1.106	1.105	1.177	1.193	1.189	1.183	1.20	1.74	0.61	1.21
25	1.100	1.122	1.114	1.112	1.187	1.201	1.201	1.197	—	—	—	—
26	1.108	1.135	1.113	1.114	1.194	1.223	1.212	1.209	—	—	—	—
27	1.110	1.131	1.119	1.123	1.207	1.220	1.218	1.218	—	—	—	—
28	1.119	1.127	1.121	1.119	1.216	1.220	1.218	1.216	—	—	—	—
29	1.086	1.069	1.068	1.081	1.177	1.155	1.152	1.163	—	—	—	—
30	1.091	1.088	1.080	1.086	1.172	1.169	1.160	1.168	—	—	—	—
31	1.083	1.102	1.096	1.099	1.170	1.176	1.182	1.182	1.18	1.73	0.61	1.20
備考												