

葛尾村仮設焼却施設 平成30年7月 空間線量率測定結果

測定日	測定項目											
	空間線量率(μ Sv/h)											
	業務用地入口				業務用地北側				業務用地境界			
	モニタリングポスト				モニタリングポスト				NAIシンチレーション式サーベイメータ			
	朝	昼	夕	夜	朝	昼	夕	夜	東	南	西	北
1	1.076	1.099	1.093	1.080	1.251	1.254	1.256	1.247	—	—	—	—
2	1.082	1.097	1.089	1.085	1.266	1.256	1.256	1.256	—	—	—	—
3	1.089	1.108	1.097	1.089	1.272	1.269	1.265	1.257	1.00	1.25	0.54	1.03
4	1.088	1.091	1.090	1.087	1.252	1.248	1.259	1.254	—	—	—	—
5	1.083	調整中	1.070	1.029	1.251	1.223	1.212	1.146	—	—	—	—
6	1.014	1.022	1.017	1.010	1.129	1.125	1.121	1.113	—	—	—	—
7	1.005	1.023	1.037	1.032	1.111	1.120	1.138	1.140	—	—	—	—
8	1.033	1.058	1.051	1.043	1.148	1.157	1.153	1.151	—	—	—	—
9	1.045	1.066	1.032	1.030	1.156	1.167	1.137	1.141	—	—	—	—
10	1.036	1.048	1.042	1.032	1.150	1.156	1.144	1.141	1.00	1.27	0.54	1.02
11	1.036	1.052	1.049	1.043	1.146	1.154	1.157	1.152	—	—	—	—
12	1.042	1.051	1.027	1.028	1.153	1.151	1.131	1.130	—	—	—	—
13	1.022	1.044	1.049	1.042	1.124	1.140	1.152	1.147	—	—	—	—
14	1.044	1.056	1.059	1.051	1.154	1.162	1.166	1.162	—	—	—	—
15	1.049	1.076	1.074	1.068	1.169	1.185	1.186	1.186	—	—	—	—
16	1.069	1.075	1.075	1.069	1.191	1.192	1.197	1.196	—	—	—	—
17	1.076	1.088	1.086	1.083	1.200	1.204	1.211	1.205	0.99	1.34	0.55	1.10
18	1.080	1.099	1.092	1.082	1.208	1.222	1.216	1.206	—	—	—	—
19	1.078	1.099	1.093	1.089	1.208	1.223	1.216	1.216	—	—	—	—
20	1.088	1.105	1.107	1.098	1.216	1.230	1.234	1.224	—	—	—	—
21	1.092	1.117	1.104	1.102	1.222	1.243	1.232	1.231	—	—	—	—
22	1.095	1.115	1.109	1.106	1.229	1.239	1.237	1.231	—	—	—	—
23	1.103	1.123	1.100	1.098	1.235	1.248	1.229	1.224	—	—	—	—
24	1.099	1.111	1.104	1.101	1.229	1.236	1.231	1.228	1.02	1.35	0.57	1.12
25	1.102	1.111	1.103	1.101	1.224	1.234	1.227	1.224	—	—	—	—
26	1.102	1.112	1.103	1.095	1.226	1.232	1.225	1.217	—	—	—	—
27	1.093	1.109	1.099	1.092	1.228	1.232	1.223	1.220	—	—	—	—
28	1.086	1.070	1.039	1.016	1.215	1.195	1.156	1.126	—	—	—	—
29	1.001	1.034	1.038	1.042	1.107	1.130	1.142	1.140	—	—	—	—
30	1.045	1.059	1.060	1.056	1.144	1.156	1.156	1.155	—	—	—	—
31	1.055	1.076	1.069	1.065	1.165	1.180	1.178	1.175	1.01	1.32	0.57	1.09

備考