

葛尾村仮設焼却施設 令和 元年 7月 空間線量率測定結果

測定日	測定項目											
	空間線量率($\mu\text{Sv/h}$)											
	業務用地入口				業務用地北側				業務用地境界			
	モニタリングポスト				モニタリングポスト				NaIシンチレーション式サーベイメータ			
	朝	昼	夕	夜	朝	昼	夕	夜	東	南	西	北
1	0.919	0.937	0.935	0.935	0.999	1.013	1.018	1.016	—	—	—	—
2	0.938	0.947	0.948	0.943	1.016	1.024	1.030	1.026	0.89	1.22	0.46	0.93
3	0.942	0.955	0.950	0.944	1.028	1.034	1.037	1.040	—	—	—	—
4	0.897	0.906	0.923	0.922	0.984	0.985	1.003	1.000	—	—	—	—
5	0.925	調整中	0.921	0.922	1.003	0.989	0.998	0.993	—	—	—	—
6	0.919	0.904	0.880	0.868	0.993	0.971	0.957	0.948	—	—	—	—
7	0.873	0.868	0.871	0.876	0.951	0.948	0.947	0.953	—	—	—	—
8	0.878	0.892	0.899	0.900	0.957	0.966	0.971	0.972	—	—	—	—
9	0.901	0.905	0.907	0.906	0.975	0.975	0.978	0.978	0.93	1.23	0.45	0.92
10	0.907	0.916	0.914	0.911	0.977	0.978	0.988	0.984	—	—	—	—
11	0.913	0.924	0.921	0.920	0.989	0.997	0.993	1.000	—	—	—	—
12	0.890	0.897	0.910	0.903	0.966	0.976	0.983	0.981	—	—	—	—
13	0.908	0.921	0.924	0.916	0.983	0.990	0.998	0.997	—	—	—	—
14	0.900	0.896	0.889	0.894	0.977	0.971	0.968	0.968	—	—	—	—
15	0.885	0.886	0.893	0.896	0.958	0.958	0.966	0.968	—	—	—	—
16	0.895	0.903	0.904	0.900	0.965	0.974	0.978	0.972	0.91	1.23	0.44	0.90
17	0.899	0.907	0.911	0.907	0.972	0.979	0.982	0.981	—	—	—	—
18	0.909	0.926	0.921	0.916	0.984	0.999	0.993	0.993	—	—	—	—
19	0.908	0.922	0.921	0.922	0.983	0.999	0.997	1.000	—	—	—	—
20	0.908	0.913	0.888	0.898	0.979	0.987	0.965	0.971	—	—	—	—
21	0.887	0.894	0.889	0.891	0.962	0.965	0.960	0.959	—	—	—	—
22	0.893	0.902	0.904	0.900	0.959	0.961	0.969	0.967	—	—	—	—
23	0.903	0.912	0.906	0.904	0.967	0.969	0.972	0.969	0.87	1.21	0.42	0.83
24	0.901	0.911	0.904	0.904	0.968	0.968	0.973	0.973	—	—	—	—
25	0.904	0.920	0.920	0.918	0.980	0.978	0.995	0.993	—	—	—	—
26	0.917	0.936	0.933	0.933	0.995	1.004	1.011	1.016	—	—	—	—
27	0.927	0.940	0.940	0.939	1.010	1.021	1.028	1.026	—	—	—	—
28	0.899	0.925	0.925	0.922	0.981	0.997	1.003	1.002	—	—	—	—
29	0.925	0.942	0.936	0.932	1.006	1.013	1.017	1.016	—	—	—	—
30	0.938	0.949	0.947	0.945	1.021	1.027	1.035	1.030	0.89	1.24	0.47	0.82
31	0.944	0.964	0.956	0.953	1.033	1.044	1.047	1.041	—	—	—	—
備考												