

## 葛尾村仮設焼却施設 令和2年3月 空間線量率測定結果

測定日	測定項目											
	空間線量率( $\mu\text{Sv/h}$ )											
	業務用地入口				業務用地北側				業務用地境界			
	モニタリングポスト				モニタリングポスト				NaIシンチレーション式サーベイメータ			
	朝	昼	夕	夜	朝	昼	夕	夜	東	南	西	北
1	0.813	0.828	0.819	0.816	0.881	0.889	0.885	0.881	—	—	—	—
2	0.817	0.807	0.798	0.791	0.882	0.872	0.862	0.850	—	—	—	—
3	0.796	0.820	0.811	0.808	0.856	0.870	0.876	0.874	0.84	1.08	0.36	0.60
4	0.809	0.815	0.796	0.801	0.872	0.866	0.853	0.859	—	—	—	—
5	0.802	0.815	0.811	0.808	0.860	0.861	0.872	0.866	—	—	—	—
6	0.807	0.817	0.810	0.809	0.861	0.865	0.873	0.869	—	—	—	—
7	0.806	0.823	0.814	0.813	0.869	0.869	0.875	0.874	—	—	—	—
8	0.811	0.802	0.792	0.795	0.872	0.859	0.844	0.846	—	—	—	—
9	0.799	0.810	0.813	0.812	0.848	0.849	0.862	0.862	—	—	—	—
10	0.809	0.804	0.805	0.804	0.854	0.840	0.852	0.854	0.84	1.09	0.37	0.61
11	0.809	0.824	0.816	0.815	0.855	0.866	0.868	0.870	—	—	—	—
12	0.812	0.821	0.819	0.818	0.865	0.856	0.875	0.876	—	—	—	—
13	0.816	0.840	0.828	0.823	0.876	0.882	0.887	0.882	—	—	—	—
14	0.822	0.809	0.767	0.759	0.878	0.869	0.833	0.824	—	—	—	—
15	0.759	0.772	0.775	0.776	0.815	0.831	0.844	0.848	—	—	—	—
16	0.766	0.774	0.784	0.789	0.833	0.837	0.852	0.848	—	—	—	—
17	0.785	0.797	0.799	0.800	0.848	0.845	0.865	0.868	0.81	1.06	0.38	0.60
18	0.801	0.819	0.816	0.813	0.864	0.865	0.876	0.874	—	—	—	—
19	0.812	0.837	0.829	0.831	0.876	0.893	0.893	0.894	—	—	—	—
20	0.829	0.835	0.827	0.827	0.893	0.894	0.892	0.890	—	—	—	—
21	0.826	0.843	0.837	0.835	0.892	0.903	0.901	0.902	—	—	—	—
22	0.830	0.851	0.839	0.832	0.902	0.915	0.907	0.900	—	—	—	—
23	0.828	0.843	0.835	0.831	0.898	0.906	0.905	0.902	—	—	—	—
24	0.826	0.833	0.827	0.828	0.899	0.889	0.902	0.896	0.77	1.14	0.38	0.61
25	0.827	0.842	0.836	0.829	0.898	0.888	0.905	0.901	—	—	—	—
26	0.829	0.853	0.847	0.839	0.899	0.916	0.915	0.910	—	—	—	—
27	0.835	0.851	0.854	0.851	0.910	0.904	0.923	0.921	—	—	—	—
28	0.849	0.853	0.843	0.818	0.913	0.907	0.915	0.880	—	—	—	—
29	0.751	0.671	0.639	0.635	0.813	0.736	0.707	0.706	—	—	—	—
30	0.641	0.657	0.677	0.685	0.708	0.695	0.750	0.756	—	—	—	—
31	0.689	0.712	0.745	0.768	0.760	0.794	0.838	0.845	0.75	1.06	0.33	0.53
備考												