## 葛尾村仮設焼却施設 令和 3年 2月 空間線量率測定結果

測定日					業務用地北側				業務用地境界			
	モニタリングポスト				モニタリングポスト				NaIシンチレーション式サーベイメータ			
	朝	昼	タ	夜	朝	昼	タ	夜	東	南	西	北
1	0.688	0.702	0.701	0.703	0.782	0.789	0.798	0.798	_	_	_	_
2	0.708	0.715	0.712	0.705	0.800	0.800	0.801	0.794	0.70	0.54	0.32	0.58
3	0.708	0.709	0.705	0.705	0.793	0.791	0.789	0.788	_	_	_	_
4	0.706	0.712	0.699	0.694	0.790	0.792	0.789	0.783	_	_	_	_
5	0.692	0.707	0.703	0.701	0.783	0.790	0.796	0.796	_	_	_	_
6	0.703	0.713	0.709	0.709	0.802	0.805	0.805	0.804	_	_	_	_
7	0.710	0.716	0.712	0.711	0.805	0.813	0.807	0.808	_	_	_	_
8	0.713	0.717	0.715	0.694	0.796	0.798	0.805	0.785	_	_	_	_
9	0.680	0.688	0.686	0.689	0.774	0.774	0.778	0.779	0.70	0.54	0.33	0.60
10	0.684	0.697	0.693	0.694	0.779	0.789	0.799	0.799	_	_	_	_
11	0.691	0.694	0.694	0.694	0.793	0.798	0.799	0.797	_	_	_	_
12	0.690	0.709	0.697	0.697	0.798	0.796	0.803	0.803	_	_	_	_
13	0.696	0.715	0.704	0.709	0.798	0.813	0.812	0.810	_	_	_	_
14	0.706	0.725	0.718	0.721	0.810	0.824	0.819	0.821	_	_	_	_
15	0.727	0.714	0.695	0.715	0.820	0.796	0.760	0.776	_	_	_	_
16	0.712	0.717	0.715	0.709	0.775	0.773	0.775	0.765	0.70	0.54	0.36	0.58
17	0.703	0.713	0.708	0.702	0.758	0.767	0.774	0.769	_	_	_	_
18	0.699	0.713	0.708	0.702	0.767	0.771	0.777	0.770	_	_	_	_
19	0.699	0.713	0.709	0.712	0.771	0.776	0.777	0.779	_	_	_	_
20	0.712	0.723	0.724	0.726	0.783	0.792	0.792	0.794	_	_	_	_
21	0.724	0.736	0.734	0.735	0.790	0.802	0.802	0.803	_	_	_	_
22	0.733	0.750	0.738	0.742	0.804	0.807	0.811	0.811	_	_	_	_
23	0.735	0.737	0.731	0.729	0.804	0.800	0.802	0.795	0.71	0.56	0.34	0.63
24	0.721	0.732	0.727	0.725	0.791	0.793	0.801	0.793	_	_	_	_
25	0.723	0.736	0.727	0.729	0.792	0.801	0.801	0.805	_	_	_	_
26	0.731	0.731	0.726	0.722	0.804	0.797	0.801	0.801	_	_	_	_
27	0.715	0.728	0.719	0.712	0.794	0.801	0.800	0.795	_	_	_	_
28	0.714	0.738	0.725	0.726	0.792	0.812	0.809	0.807	_	_	_	_
備考								· · · · · · · · · · · · · · · · · · ·				·