

葛尾村仮設焼却施設 令和3年7月 空間線量率測定結果

測定日	測定項目											
	空間線量率(μ Sv/h)											
	業務用地入口				業務用地北側				業務用地境界			
	モニタリングポスト				モニタリングポスト				NaIシンチレーション式サーベイメータ			
	朝	昼	夕	夜	朝	昼	夕	夜	東	南	西	北
1	0.713	0.719	0.701	0.703	0.731	0.726	0.719	0.723	—	—	—	—
2	0.703	0.705	0.698	0.694	0.721	0.712	0.715	0.709	—	—	—	—
3	0.695	0.702	0.696	0.696	0.711	0.711	0.715	0.711	—	—	—	—
4	0.695	0.697	0.693	0.691	0.709	0.710	0.707	0.706	—	—	—	—
5	0.690	0.701	0.706	0.706	0.710	0.708	0.722	0.724	—	—	—	—
6	0.710	0.721	0.720	0.705	0.728	0.731	0.740	0.724	0.68	0.52	0.31	0.55
7	0.690	0.697	0.704	0.695	0.712	0.700	0.723	0.711	—	—	—	—
8	0.697	0.704	0.703	0.697	0.713	0.710	0.715	0.713	—	—	—	—
9	0.693	0.693	0.699	0.685	0.706	0.700	0.718	0.704	—	—	—	—
10	0.693	0.708	0.703	0.706	0.710	0.718	0.717	0.719	—	—	—	—
11	0.708	0.699	0.698	0.688	0.723	0.712	0.714	0.711	—	—	—	—
12	0.694	0.715	0.711	0.707	0.713	0.720	0.728	0.729	—	—	—	—
13	0.711	0.713	0.715	0.713	0.731	0.724	0.732	0.732	0.68	0.50	0.30	0.55
14	0.707	0.715	0.709	0.706	0.728	0.721	0.729	0.730	—	—	—	—
15	0.706	0.721	0.717	0.716	0.728	0.724	0.736	0.737	—	—	—	—
16	0.714	0.730	0.727	0.723	0.738	0.738	0.749	0.748	—	—	—	—
17	0.723	0.738	0.736	0.731	0.749	0.751	0.763	0.759	—	—	—	—
18	0.728	0.743	0.742	0.738	0.762	0.770	0.774	0.772	—	—	—	—
19	0.736	0.754	0.748	0.746	0.774	0.771	0.781	0.783	—	—	—	—
20	0.745	0.760	0.753	0.748	0.786	0.780	0.787	0.787	0.68	0.51	0.31	0.56
21	0.751	0.743	0.734	0.731	0.790	0.785	0.779	0.777	—	—	—	—
22	0.733	0.737	0.732	0.731	0.778	0.772	0.780	0.778	—	—	—	—
23	0.733	0.717	0.736	0.732	0.780	0.778	0.785	0.783	—	—	—	—
24	0.729	0.747	0.737	0.737	0.785	0.791	0.790	0.787	—	—	—	—
25	0.732	0.749	0.741	0.738	0.786	0.793	0.792	0.788	—	—	—	—
26	0.737	0.745	0.742	0.701	0.787	0.784	0.791	0.749	—	—	—	—
27	0.702	0.688	0.679	0.672	0.743	0.722	0.720	0.710	0.63	0.47	0.29	0.52
28	0.682	0.689	0.702	0.688	0.722	0.730	0.738	0.728	—	—	—	—
29	0.692	0.699	0.698	0.698	0.730	0.719	0.730	0.729	—	—	—	—
30	0.699	0.710	0.705	0.706	0.731	0.731	0.738	0.737	—	—	—	—
31	0.702	0.715	0.702	0.690	0.736	0.738	0.740	0.720	—	—	—	—
備考												