

浪江町仮設焼却施設 令和6年5月 空間線量率測定結果

測定日	測定項目															
	空間線量率(μ Sv/h)															
	業務用地出入口付近				業務用地西側・管理棟付近				業務用地北側・仮設保管施設付近				業務用地境界			
	モニタリングポスト				モニタリングポスト				モニタリングポスト				NaIシンチレーション式サーベイメータ			
	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	東	南	西	北
1	0.099	0.104	0.102	0.079	0.069	0.069	0.073	0.077	0.080	0.075	0.076	0.073	—	—	—	—
2	0.081	0.090	0.097	0.094	0.057	0.077	0.070	0.081	0.070	0.075	0.071	0.077	0.11	0.07	0.06	0.12
3	0.090	0.086	0.088	0.085	0.074	0.073	0.066	0.068	0.071	0.070	0.081	0.074	—	—	—	—
4	0.098	0.090	0.079	0.083	0.071	0.078	0.072	0.068	0.085	0.087	0.070	0.084	—	—	—	—
5	0.078	0.087	0.089	0.087	0.064	0.071	0.076	0.073	0.077	0.078	0.071	0.081	—	—	—	—
6	0.085	0.099	0.085	0.097	0.072	0.063	0.085	0.070	0.075	0.078	0.080	0.078	—	—	—	—
7	0.092	0.104	0.093	0.103	0.081	0.064	0.064	0.065	0.082	0.075	0.074	0.074	—	—	—	—
8	0.097	0.096	0.086	0.085	0.070	0.063	0.084	0.074	0.087	0.078	0.070	0.072	—	—	—	—
9	0.093	0.080	0.081	0.093	0.077	0.074	0.074	0.068	0.070	0.078	0.079	0.075	0.11	0.07	0.06	0.12
10	0.092	0.083	0.093	0.093	0.075	0.074	0.076	0.066	0.065	0.069	0.075	0.066	—	—	—	—
11	0.092	0.082	0.081	0.086	0.071	0.070	0.067	0.062	0.072	0.067	0.065	0.065	—	—	—	—
12	0.088	0.096	0.101	0.088	0.068	0.071	0.067	0.069	0.079	0.061	0.080	0.074	—	—	—	—
13	0.091	0.105	0.095	0.087	0.072	0.077	0.084	0.067	0.079	0.080	0.090	0.069	—	—	—	—
14	0.092	0.092	0.090	0.099	0.066	0.067	0.068	0.078	0.072	0.061	0.069	0.071	—	—	—	—
15	0.084	0.088	0.096	0.090	0.074	0.069	0.060	0.066	0.076	0.067	0.068	0.076	—	—	—	—
16	0.081	0.091	0.101	0.085	0.062	0.065	0.077	0.061	0.077	0.074	0.070	0.066	0.11	0.07	0.07	0.12
17	0.087	0.093	0.092	0.085	0.060	0.075	0.058	0.072	0.068	0.083	0.069	0.066	—	—	—	—
18	0.091	0.092	0.095	0.094	0.076	0.078	0.070	0.079	0.077	0.069	0.071	0.072	—	—	—	—
19	0.084	0.103	0.100	0.099	0.075	0.073	0.085	0.071	0.082	0.074	0.071	0.075	—	—	—	—
20	0.089	0.086	0.099	0.093	0.074	0.070	0.077	0.058	0.080	0.069	0.073	0.067	—	—	—	—
21	0.091	0.096	0.088	0.087	0.063	0.075	0.067	0.070	0.075	0.076	0.071	0.069	—	—	—	—
22	0.091	0.091	0.088	0.086	0.070	0.066	0.069	0.074	0.071	0.076	0.076	0.072	—	—	—	—
23	0.101	0.083	0.092	0.088	0.068	0.073	0.070	0.069	0.079	0.082	0.072	0.076	0.10	0.07	0.06	0.12
24	0.087	0.097	0.090	0.095	0.073	0.065	0.070	0.081	0.083	0.081	0.078	0.080	—	—	—	—
25	0.093	0.109	0.096	0.106	0.063	0.061	0.069	0.080	0.074	0.071	0.090	0.078	—	—	—	—
26	0.091	0.093	0.096	0.096	0.070	0.063	0.074	0.070	0.073	0.074	0.077	0.078	—	—	—	—
27	0.091	0.089	0.088	0.092	0.067	0.068	0.075	0.077	0.075	0.091	0.068	0.081	—	—	—	—
28	0.103	0.101	0.100	0.078	0.079	0.066	0.084	0.067	0.082	0.078	0.085	0.072	—	—	—	—
29	0.100	0.089	0.090	0.103	0.068	0.070	0.071	0.065	0.087	0.074	0.078	0.070	—	—	—	—
30	0.089	0.094	0.095	0.095	0.069	0.069	0.072	0.074	0.069	0.065	0.071	0.075	0.10	0.08	0.07	0.13
31	0.088	0.097	0.080	0.086	0.081	0.074	0.070	0.073	0.078	0.078	0.076	0.086	—	—	—	—
備考																

浪江町仮設焼却施設 令和6年5月 空間線量率測定結果

測定日	測定項目																							
	空間線量率($\mu\text{Sv/h}$)																							
	仮設灰保管施設(その2) ※1 北				仮設灰保管施設(その2) ※1 西				仮設灰保管施設(その2) ※1 南				仮設灰保管施設(その2) ※1 東				仮設灰保管施設(その2) 業務用地境界							
	モニタリングポスト				モニタリングポスト				モニタリングポスト				モニタリングポスト				NaIシンチレーション式サーベイメータ							
	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	東	南	西	北
1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-	-	-	-
2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.06	0.07	0.09	0.06
3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-	-	-	-
4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-	-	-	-
5	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-	-	-	-
6	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-	-	-	-
7	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.07	0.07	0.09	0.07
8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.07	0.07	0.08	0.07
9	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.06	0.07	0.09	0.07
10	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.09	0.07	0.08	0.07
11	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.08	0.07	0.09	0.07
12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-	-	-	-
13	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.09	0.07	0.09	0.06
14	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.08	0.07	0.09	0.06
15	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.09	0.07	0.08	0.06
16	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.09	0.07	0.09	0.06
17	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.08	0.07	0.08	0.06
18	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.08	0.07	0.08	0.06
19	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-	-	-	-
20	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.08	0.07	0.08	0.06
21	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.08	0.07	0.10	0.06
22	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.08	0.07	0.09	0.06
23	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.08	0.07	0.08	0.06
24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.08	0.07	0.08	0.06
25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-	-	-	-
26	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-	-	-	-
27	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.08	0.08	0.09	0.06
28	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.09	0.08	0.09	0.07
29	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.08	0.07	0.09	0.06
30	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.07	0.07	0.08	0.06
31	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	0.08	0.08	0.09	0.06

備考 ※1 仮設灰保管施設(その2)運営業務が終了し、令和5年10月から解体撤去工事開始に伴い、モニタリングポスト測定終了