

双葉町仮設灰処理第二施設 令和5年4月 空間線量率測定結果

測定日	測定項目																			
	空間線量率(μ Sv/h)																			
	No.1(業務用地出入口付近)				No.2(業務用地出口付近)				No.3(業務用地変電設備付近)				No.4(消防屯所前)				業務用地境界			
	モニタリングポスト				モニタリングポスト				モニタリングポスト				モニタリングポスト				NaIシンチレーション式サーベイメータ			
	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	東	南	西	北
1	0.318	0.322	0.317	0.320	0.320	0.318	0.318	0.321	0.137	0.136	0.137	0.136	0.570	0.577	0.574	0.573	-	-	-	-
2	0.318	0.318	0.317	0.319	0.319	0.320	0.319	0.319	0.136	0.136	0.136	0.136	0.572	0.574	0.573	0.574	-	-	-	-
3	0.318	0.319	0.320	0.318	0.320	0.319	0.318	0.320	0.136	0.135	0.136	0.136	0.574	0.579	0.573	0.571	-	-	-	-
4	0.318	0.321	0.321	0.321	0.320	0.312	0.321	0.322	0.137	0.136	0.137	0.139	0.572	0.579	0.577	0.575	-	-	-	-
5	0.321	0.326	0.323	0.325	0.321	0.320	0.322	0.323	0.138	0.138	0.138	0.138	0.576	0.581	0.582	0.580	0.26	0.55	0.26	0.25
6	0.325	0.326	0.324	0.325	0.324	0.325	0.324	0.324	0.138	0.139	0.139	0.139	0.581	0.586	0.583	0.582	-	-	-	-
7	0.326	0.325	0.327	0.320	0.327	0.324	0.327	0.319	0.139	0.139	0.142	0.143	0.581	0.584	0.584	0.573	-	-	-	-
8	0.317	0.312	0.311	0.311	0.315	0.314	0.312	0.311	0.141	0.138	0.137	0.135	0.566	0.564	0.560	0.561	-	-	-	-
9	0.310	0.314	0.315	0.313	0.311	0.314	0.314	0.315	0.135	0.136	0.135	0.136	0.560	0.570	0.567	0.566	-	-	-	-
10	0.315	0.321	0.318	0.318	0.316	0.302	0.319	0.319	0.136	0.137	0.139	0.138	0.567	0.575	0.573	0.572	-	-	-	-
11	0.318	0.326	0.321	0.321	0.319	0.320	0.320	0.322	0.138	0.138	0.139	0.139	0.572	0.580	0.576	0.577	-	-	-	-
12	0.323	0.323	0.323	0.322	0.323	0.322	0.323	0.321	0.139	0.138	0.140	0.138	0.577	0.581	0.580	0.575	0.27	0.54	0.25	0.26
13	0.320	0.324	0.323	0.324	0.321	0.322	0.321	0.325	0.138	0.138	0.139	0.139	0.578	0.583	0.580	0.583	-	-	-	-
14	0.325	0.330	0.327	0.326	0.323	0.325	0.324	0.326	0.139	0.140	0.140	0.141	0.583	0.585	0.584	0.584	-	-	-	-
15	0.326	0.331	0.317	0.317	0.326	0.329	0.313	0.316	0.141	0.146	0.141	0.143	0.584	0.588	0.565	0.563	-	-	-	-
16	0.313	0.316	0.315	0.317	0.311	0.314	0.314	0.316	0.138	0.137	0.138	0.137	0.556	0.564	0.564	0.562	-	-	-	-
17	0.316	0.315	0.317	0.317	0.316	0.315	0.315	0.316	0.138	0.136	0.137	0.136	0.566	0.569	0.567	0.567	-	-	-	-
18	0.318	0.318	0.320	0.321	0.316	0.316	0.318	0.318	0.137	0.137	0.139	0.139	0.566	0.573	0.570	0.572	-	-	-	-
19	0.321	0.323	0.321	0.321	0.321	0.314	0.318	0.320	0.139	0.139	0.139	0.139	0.569	0.578	0.577	0.574	0.27	0.55	0.26	0.27
20	0.320	0.325	0.326	0.325	0.320	0.320	0.322	0.325	0.140	0.138	0.140	0.141	0.574	0.580	0.577	0.581	-	-	-	-
21	0.327	0.330	0.325	0.324	0.325	0.325	0.324	0.324	0.140	0.142	0.140	0.140	0.582	0.584	0.580	0.580	-	-	-	-
22	0.325	0.328	0.325	0.326	0.324	0.324	0.324	0.324	0.139	0.140	0.139	0.139	0.580	0.587	0.584	0.584	-	-	-	-
23	0.326	0.329	0.328	0.327	0.324	0.327	0.323	0.327	0.139	0.140	0.139	0.140	0.586	0.590	0.586	0.585	-	-	-	-
24	0.327	0.327	0.328	0.327	0.324	0.324	0.323	0.324	0.139	0.140	0.140	0.139	0.587	0.590	0.588	0.586	-	-	-	-
25	0.327	0.329	0.329	0.330	0.326	0.322	0.327	0.329	0.140	0.139	0.141	0.141	0.588	0.591	0.590	0.590	-	-	-	-
26	0.333	0.318	0.317	0.309	0.329	0.316	0.312	0.308	0.145	0.141	0.143	0.137	0.591	0.572	0.562	0.560	0.25	0.54	0.25	0.25
27	0.310	0.315	0.314	0.314	0.309	0.312	0.312	0.316	0.136	0.136	0.137	0.138	0.563	0.568	0.567	0.565	-	-	-	-
28	0.314	0.322	0.320	0.321	0.314	0.316	0.315	0.319	0.138	0.138	0.139	0.140	0.570	0.569	0.575	0.573	-	-	-	-
29	0.319	0.323	0.322	0.324	0.319	0.320	0.321	0.320	0.139	0.140	0.140	0.140	0.575	0.575	0.577	0.577	-	-	-	-
30	0.328	0.317	0.317	0.319	0.324	0.316	0.314	0.315	0.147	0.140	0.139	0.139	0.580	0.570	0.569	0.569	-	-	-	-

備考