

双葉町仮設灰処理第二施設 令和7年7月 空間線量率測定結果

測定日	測 定 項 目																			
	空間線量率(μ Sv/h)																			
	No.1(業務用地出入口付近)				No.2(業務用地出口付近)				No.3(業務用地変電設備付近)				No.4(消防屯所前)				業務用地境界			
	モニタリングポスト				モニタリングポスト				モニタリングポスト				モニタリングポスト				NaIシンチレーション式サーベイメータ			
	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	朝	昼	夕	夜	東	南	西	北
1	0.308	0.305	0.308	0.309	0.303	0.304	0.303	0.303	0.124	0.123	0.124	0.124	0.445	0.467	0.479	0.463	—	—	—	—
2	0.309	0.309	0.309	0.310	0.305	0.304	0.302	0.305	0.125	0.124	0.123	0.126	0.444	0.446	0.488	0.444	0.27	0.52	0.27	0.26
3	0.311	0.306	0.312	0.308	0.306	0.305	0.306	0.304	0.126	0.123	0.123	0.123	0.472	0.446	0.467	0.450	—	—	—	—
4	0.310	0.310	0.314	0.300	0.306	0.306	0.307	0.295	0.125	0.123	0.133	0.123	0.451	0.455	0.443	0.447	—	—	—	—
5	0.302	0.304	0.305	0.306	0.297	0.298	0.300	0.300	0.123	0.121	0.122	0.124	0.477	0.450	0.460	0.472	—	—	—	—
6	0.306	0.312	0.310	0.310	0.302	0.304	0.303	0.306	0.123	0.125	0.123	0.126	0.449	0.438	0.453	0.491	—	—	—	—
7	0.311	0.310	0.310	0.312	0.306	0.305	0.305	0.304	0.126	0.125	0.124	0.126	0.442	0.466	0.441	0.458	—	—	—	—
8	0.313	0.311	0.310	0.312	0.306	0.307	0.307	0.306	0.128	0.125	0.124	0.123	0.442	0.472	0.482	0.475	—	—	—	—
9	0.316	0.313	0.314	0.309	0.308	0.306	0.307	0.306	0.127	0.124	0.124	0.124	0.472	0.467	0.468	0.463	0.26	0.52	0.27	0.27
10	0.306	0.300	0.298	0.299	0.304	0.303	0.295	0.293	0.124	0.126	0.123	0.125	0.455	0.486	0.440	0.444	—	—	—	—
11	0.297	0.289	0.293	0.292	0.292	0.288	0.287	0.287	0.124	0.122	0.119	0.118	0.447	0.464	0.440	0.458	—	—	—	—
12	0.294	0.297	0.295	0.296	0.287	0.291	0.291	0.290	0.119	0.119	0.119	0.120	0.446	0.431	0.459	0.436	—	—	—	—
13	0.298	0.302	0.303	0.301	0.295	0.295	0.298	0.297	0.122	0.120	0.121	0.121	0.459	0.427	0.465	0.464	—	—	—	—
14	0.300	0.288	0.297	0.294	0.295	0.286	0.295	0.289	0.120	0.118	0.120	0.119	0.449	0.428	0.458	0.446	—	—	—	—
15	0.295	0.291	0.289	0.290	0.289	0.291	0.284	0.284	0.119	0.119	0.118	0.119	0.446	0.449	0.439	0.451	—	—	—	—
16	0.291	0.290	0.295	0.295	0.287	0.288	0.288	0.290	0.118	0.118	0.119	0.119	0.446	0.444	0.433	0.426	0.25	0.50	0.24	0.24
17	0.293	0.294	0.299	0.297	0.290	0.292	0.292	0.293	0.119	0.120	0.119	0.120	0.439	0.437	0.449	0.450	—	—	—	—
18	0.298	0.300	0.302	0.300	0.295	0.296	0.296	0.295	0.121	0.120	0.121	0.121	0.430	0.438	0.436	0.444	—	—	—	—
19	0.300	0.308	0.305	0.304	0.299	0.301	0.301	0.301	0.122	0.120	0.122	0.122	0.455	0.449	0.441	0.465	—	—	—	—
20	0.306	0.313	0.308	0.309	0.302	0.304	0.307	0.305	0.123	0.123	0.122	0.125	0.451	0.443	0.421	0.467	—	—	—	—
21	0.310	0.311	0.310	0.312	0.307	0.306	0.306	0.307	0.125	0.124	0.124	0.125	0.453	0.461	0.443	0.462	—	—	—	—
22	0.312	0.313	0.313	0.313	0.309	0.307	0.305	0.308	0.126	0.125	0.125	0.126	0.465	0.459	0.466	0.451	—	—	—	—
23	0.315	0.312	0.316	0.316	0.311	0.310	0.312	0.311	0.126	0.126	0.125	0.127	0.505	0.459	0.468	0.455	0.27	0.51	0.25	0.24
24	0.318	0.315	0.317	0.317	0.314	0.310	0.311	0.313	0.127	0.125	0.125	0.127	0.484	0.443	0.471	0.493	—	—	—	—
25	0.320	0.316	0.318	0.319	0.314	0.312	0.315	0.315	0.127	0.127	0.126	0.128	0.462	0.457	0.482	0.488	—	—	—	—
26	0.318	0.323	0.320	0.319	0.313	0.313	0.313	0.312	0.127	0.125	0.127	0.127	0.481	0.464	0.471	0.460	—	—	—	—
27	0.323	0.327	0.322	0.322	0.319	0.316	0.315	0.318	0.129	0.129	0.127	0.129	0.492	0.461	0.500	0.483	—	—	—	—
28	0.321	0.322	0.325	0.324	0.318	0.315	0.316	0.317	0.127	0.127	0.126	0.128	0.483	0.478	0.460	0.488	—	—	—	—
29	0.324	0.321	0.322	0.321	0.317	0.316	0.316	0.314	0.129	0.127	0.126	0.126	0.457	0.488	0.512	0.506	—	—	—	—
30	0.322	0.319	0.322	0.322	0.317	0.315	0.317	0.315	0.127	0.125	0.125	0.127	0.487	0.492	0.474	0.491	0.28	0.52	0.25	0.25
31	0.322	0.319	0.321	0.320	0.317	0.315	0.316	0.313	0.127	0.125	0.125	0.125	0.484	0.481	0.490	0.494	—	—	—	—

備考