河川水の放射能濃度(Cs-134、Cs-137)

河川水の放射能				,			令和4	年度											令和	5年度	王									令	和6年度	Ę										令和	7年度					L)
調査地点	調査項目	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月	4月	5月	6月	7月	8月 9	月 10月	11月	12月	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月 1	2月 1	月 2	2月	3月
		_	_	_	_	_	27日	_	25日	_	19日	_	16日	_	18日	_	_	24日	_	_	16日	_	_	15日	_	_	23日	_	_	22日 -	- -	21日	_	_	25日	_	<u> </u>	15日	_	_	21日	_	1					
	Cs-134						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
1 R-1地点(未処理)	Cs-137						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			1.4							
2 R-1地点(ろ過)	Cs-134						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
	Cs-137						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
	Cs-134						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							-
3 R-2地点(未処理)	Cs-137						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
4 R-2地点(ろ過)	Cs-134						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
	Cs-137						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
5 R-3地点(未処理)	Cs-134						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
	Cs-137						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
6 R-3地点(ろ過)	Cs-134						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
	Cs-137						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
	Cs-134						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
7 R-4地点(未処理)	Cs-137						ND		1.0		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
	Cs-134						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
8 R-4地点(ろ過)	Cs-137						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
	Cs-134						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
9 R-5地点(未処理)	Cs-137						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
40 D FULL (7.78)	Cs-134						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
10 R-5地点(ろ過)	Cs-137						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
11 D Ohr E / + 20 TE/	Cs-134						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
11 R-6地点(未処理)	Cs-137						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
(a D all b (7) (3)	Cs-134						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
12 R-6地点(ろ過)	Cs-137						ND		ND		ND		ND		ND			ND			ND			ND			ND			ND		ND			ND			ND			ND							
(注)[ND](+ 拴山下																																																_

⁽注)【ND】は、検出下限値(1Bq/L)未満であることを示す。

河川水の放射能濃度測定地図(河川水水質測定地点と同一地点)

